

TABLE S1: BIRD SPECIES RECORDED IN THE RIO TIGRE BASIN

This appendix contains the complete list of bird species registered in the río Tigre basin by authors Juan Díaz-Alván, Jacob Socolar, and José Álvarez during fieldwork from 1991–2014. In addition to scientific and English names for each species, the list contains the following annotations and abbreviations:

ABUNDANCE

All species are assigned an abundance based on observation frequency:

C	Common; > 9 individuals observed on most days in appropriate habitat.
F	Fairly common; observed most days in appropriate habitat (< 9 individuals).
U	Uncommon to rare; encountered at least three times, but not on most days.
R	Very rare; encountered 1–3 times.
X	Accidental; biogeographic evidence suggests occurrence is abnormal.
C*; F*; U*	Locally [common; fairly common; uncommon]. Attains given abundance in geographically restricted parts of the basin.

HABITAT

All species are categorized by the habitat(s) in which they were found:

Tf	<i>Terra firme</i> forest.
Fl	Floodplain forest, excluding swamps dominated by the palm <i>Mauritia flexuosa</i> .
Np	Nutrient-poor forest habitats, including white-sands forest, weathered clay terraces, and peatland pole forest.
Re	River-edge and lake-edge habitats.
St	Forest streams.
R	Rivers.
L	Lakes.
Ps	Palm swamp dominated by <i>Mauritia flexuosa</i> .
F2	Secondary forest.
A	Agricultural plots and town centers.
+	> 4 habitats.

CATCHMENT

For each species we list the catchments in which it was observed:

T	Río Tigre catchment, excluding the Corrientes and Pucacuro catchments.
C	Río Corrientes catchment.
P	Río Pucacuro catchment.

EVIDENCE

For each species, we give the most reliable visual evidence obtained (specimen > photograph > visual observation) and the most reliable audio evidence obtained (sound recording > aural observation):

- S** Specimen; all specimens are detailed in Alvarez & Whitney (2003).
- P** Photograph; all photographs deposited online in the VIREO archive.
- V** Visual observation without specimen or photo.
- R** Sound recording.
- A** Aural observation without a sound recording.

SITE NUMBERS

Site numbers (see Table 1 in main text) for each species.

OTHER

If applicable, the following abbreviations follow the scientific name:

- (NB)** Does not breed in the basin; known only as a migrant.
- (NT); (VU)** Classified by BirdLife International as Near-threatened or Vulnerable.

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Tinamidae (9)						
<i>Tinamus major</i>	Great Tinamou	C*	FI	T, C, P	P, A	1, 3–5, 7, 10, 12, 13, 15, 17, 20, 21, 24, 26–28, 35, 37, 41, 42
<i>Tinamus guttatus</i>	White-throated Tinamou	F	Tf, FI, Np	T, C, P	P, R	12, 14, 15, 17, 23, 24, 26, 29, 30, 36, 37, 42
<i>Crypturellus cinereus</i>	Cinereous Tinamou	F	Tf, FI, F2	T, C, P	V, R	1, 2, 4, 7–10, 13, 15, 16, 18–21, 25, 26, 28, 30, 32, 33–35, 42
<i>Crypturellus soui</i>	Little Tinamou	F	FI, F2	T, C, P	P, R	1–3, 5, 7, 8, 10, 12, 14, 15, 18, 22, 23, 25, 27, 33, 34, 37, 38, 40, 42
<i>Crypturellus undulatus</i>	Undulated Tinamou	C*	FI, Re, F2	T, C, P	P, R	1, 4–7, 9, 11–13, 15, 19, 21, 23, 25, 26, 28, 31, 33–36, 39, 41
<i>Crypturellus duidae</i> (VU)	Gray-legged Tinamou	R	Np	T	S, R	12, 14
<i>Crypturellus variegatus</i>	Variiegated Tinamou	U	Tf	T, C, P	P, A	12, 14, 19, 21, 23, 24, 26, 30, 32, 38, 41, 42
<i>Crypturellus barletti</i>	Barlett's Tinamou	F*	Tf	T, C, P	V, A	5, 10, 14, 16, 20, 21, 24, 26, 28, 31, 35, 37, 39, 42
<i>Crypturellus casiquiare</i> (VU)	Barred Tinamou	R	Np	T	S, A	14
Anhimidae (1)						
<i>Anhima cornuta</i>	Horned Screamer	F*	Re, L	T, C, P	V, R	1, 9, 11, 13, 15, 25, 33, 34
Anatidae (3)						
<i>Cairina moschata</i>	Muscovy Duck	U	R	T, C, P	V	1–3, 8, 11, 12, 15, 20, 21, 25, 27, 28, 33, 35, 37
<i>Anas discors</i> (NB)	Blue-winged Teal	U	R	T, C, P	V	9, 11, 15, 17, 19, 25, 38
<i>Nomonyx dominicus</i>	Masked Duck	U	L	T, C, P	V	9, 11, 15, 16, 27, 35, 37
Cracidae (5)						
<i>Penelope jacquacu</i>	Spix's Guan	U	Tf, FI, Np	T, C, P	P, R	3–5, 7, 10, 12, 13, 15, 16, 18, 21, 24, 26, 30, 32, 35, 38, 42
<i>Pipile cumanensis</i> (NT)	Blue-throated Piping-Guan	U	Tf, FI	T, C, P	V, R	4, 5, 7, 12, 14, 16, 20, 21, 23, 25, 28, 31, 36, 38, 39, 41
<i>Ortalis guttata</i>	Speckled Chachalaca	F	St, Re, F2	T, C, P	V, R	1, 3–5, 7, 9–12, 14–16, 18, 20, 22, 23–25, 27, 28, 33, 34, 37, 38, 40–42
<i>Nothocrex urumutum</i>	Nocturnal Curassow	U	Tf	T, C, P	P, A	11, 14, 16, 18, 24, 26, 29, 31, 32, 35, 37, 40, 42
<i>Mitu salvini</i> (vu)	Salvin's Curassow	U	Tf, St	T, C, P	P, A	12, 14, 16, 21, 23, 27, 28, 31, 38, 39, 41
Odontophoridae (1)						
<i>Odontophorus gujanensis</i>	Marbled Wood-Quail	U	Tf, FI, F2	T, C, P	P, R	3, 5, 8, 13, 14, 17, 19, 21, 23, 24, 26, 27, 31–33, 36, 37, 41, 42
Ciconiidae (2)						
<i>Jabiru mycteria</i> (NB)	Jabiru	U	R	T, C, P	V	1, 14, 25, 33
<i>Mycteria americana</i> (NB)	Wood Stork	R	R	T, P	V	1, 2, 26

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Phalacrocoracidae (1)						
<i>Phalacrocorax brasilianus</i>	Neotropic Cormorant	F*	L, R	T, C, P	V	1, 3–6, 9, 11, 13, 15, 21, 25, 33, 37, 41
Anhinga (1)						
<i>Anhinga anhinga</i>	Anhinga	F*	L, R	T, C, P	V	1, 4, 5, 8, 11, 13, 14, 16, 19, 25, 27, 33, 36
Ardeidae (12)						
<i>Tigrisoma lineatum</i>	Rufescent Tiger-Heron	U	St, L	T, C, P	V, A	3, 6, 9, 11, 13, 16, 19, 21, 25, 28, 33, 37
<i>Agamia agami</i>	Agami Heron	U	St, L	T, C, P	V	9, 11, 13, 15, 16, 19, 20, 26, 28, 31, 33, 37
<i>Cochlearius cochlearius</i>	Boat-billed Heron	U	L, R	T, C, P	V, R	7, 11, 15, 17, 21, 23, 25, 27, 35, 37, 40
<i>Zibralus undulatus</i>	Zigzag Heron	R	St, L	T, P	V	7, 15, 28
<i>Nycticorax nycticorax</i>	Black-crowned Night-Heron	U	R	T, C, P	V	1, 5–8, 10, 15, 19, 20, 23, 24, 26, 28, 34, 38, 39
<i>Butorides striata</i>	Striated Heron	F	L, R	T, C, P	V, A	1, 3–5, 9, 11–13, 15, 16, 20, 21, 24, 25, 27, 28, 33, 34, 36, 37, 41, 42
<i>Bubulcus ibis</i>	Cattle Egret	U	A	T, C, P	V	3, 5, 9, 13, 15, 18–20, 23, 25, 34, 36
<i>Ardea cocoi</i>	Cocoi Heron	U	L, R	T, C, P	V	1, 3, 5, 7, 11, 15, 18, 21, 25, 28, 33, 34, 37, 41
<i>Ardea alba</i>	Great Egret	U	L, R	T, C, P	V	1, 3, 5, 7, 11, 15, 16, 18, 21, 25, 28, 33, 34, 37
<i>Ptilerodius pileatus</i>	Capped Heron	U	L, R	T, C, P	V	1, 3, 5, 7, 10, 11, 16, 19, 22, 25, 28, 33, 34, 37, 41
<i>Egretta thula</i>	Snowy Egret	U	L, R	T, C, P	V	1, 3, 5, 7, 10, 11, 16, 19, 22, 25, 28, 33, 34, 37, 41
<i>Egretta caerulea</i>	Little Blue Heron	U	R	T, C, P	V	1, 4, 7, 9, 12, 15, 17, 21, 28, 34, 37
Threskiornithidae (1)						
<i>Mesembrinibis cayennensis</i>	Green Ibis	U	L	T, C, P	V, R	1, 5, 8, 9, 13, 15, 19, 23, 24, 27, 28, 33, 34, 37, 42
Cathartidae (5)						
<i>Cathartes aura</i>	Turkey Vulture	U	+	T, C, P	V	1, 3–5, 10–15, 18, 25, 33–36
<i>Cathartes burrovianus</i>	Lesser Yellow-headed Vulture	U*	Re	T	V	1, 3–6
<i>Cathartes melambrotus</i>	Greater Yellow-headed Vulture	C*	+	T, C, P	V	4, 6, 8, 10–12, 14, 15, 17, 19–22, 24, 26, 28, 30, 33, 34, 37, 39, 41, 42
<i>Coragyps atratus</i>	Black Vulture	F	+	T, C, P	V	1, 3–5, 7, 9–12, 14–16, 18, 20, 22, 23–25, 27, 33, 34, 37, 38, 40–42
<i>Sarcorampus papa</i>	King Vulture	U	+	T, C, P	V	4, 9, 11, 13, 15, 17, 20, 23, 24, 26, 29, 31, 32, 36, 38, 39, 41, 42
Pandionidae (1)						
<i>Pandion haliaetus</i> (NB)	Osprey	U	L, R	T, C, P	V	1, 4, 7, 9, 11, 13, 16, 20, 25, 28, 34, 37

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Accipitridae (24)						
<i>Gampsonyx swainsonii</i>	Pearl Kite	U	A	T, C, P	V	5, 9, 13, 15, 17, 25, 34, 38
<i>Chondrohierax uncinatus</i>	Hook-billed Kite	U	Tf, St	T, C, P	V	7, 11, 14, 23, 24, 38, 41, 27, 32
<i>Leptodon cayanensis</i>	Gray-headed Kite	U	Tf, Fl	T, C, P	V, R	7, 8, 11, 12, 16, 19, 20, 21, 23, 26, 29, 31, 33, 36, 41, 42
<i>Elanoides forficatus</i>	Swallow-tailed Kite	U	+	T, C, P	V	1, 5, 7, 9, 11, 15, 18, 21, 22, 24, 25, 27, 29, 30, 33, 34, 37, 40, 42
<i>Rostrhamus sociabilis</i>	Snail Kite	U	Re, L, A	T, C, P	V, A	1, 3, 7, 10, 11, 17, 25, 27, 35, 37
<i>Helicolestes hamatus</i>	Slender-billed Kite	U	Re, L	T, C, P	V, A	1, 3, 4, 7, 8, 10, 11, 17, 25, 35
<i>Harpagus bidentatus</i>	Double-toothed Kite	U	Tf, Fl, Np	T, C, P	V, A	5, 6, 8, 12, 14, 16, 17, 20, 23, 25, 29, 31, 33, 37, 39, 42
<i>Ictinia plumbea</i>	Plumbeous Kite	F	+	T, C, P	V	1, 3, 5, 7, 9–12, 15, 16, 18, 23–25, 27, 28, 31, 33, 34, 37, 38, 40, 42
<i>Accipiter poliogaster</i>	Gray-bellied Hawk	R	Tf	T, P	V	24, 29
<i>Accipiter superciliosus</i>	Tiny Hawk	U	Np	T, C, P	V, A	12, 14, 26, 29, 31, 39
<i>Accipiter bicolor</i>	Bicolored Hawk	U	Np	T, C, P	V, R	15, 26, 29, 31, 42
<i>Geranospiza caerulescens</i>	Crane Hawk	U	Tf, Np	T, C, P	V, A	9, 14, 16, 18, 21, 24, 29, 30, 33, 34, 39
<i>Buteogallus schistaceus</i>	Slate-colored Hawk	U	Fl, St	T, C, P	V	1, 2, 4–6, 8, 10, 12, 16, 17, 22, 25, 28, 33, 36, 38
<i>Buteogallus urubitinga</i>	Great Black-Hawk	F	Re, L	T, C, P	V, A	1, 3, 9, 11, 13, 15, 20, 24, 27, 28, 33, 34, 36, 37, 39
<i>Pseudastur albicollis</i>	White Hawk	U	Tf	T, C, P	V, R	17, 21, 24, 29, 32, 42
<i>Leucopternis melanops</i>	Black-faced Hawk	U	Tf	T, P	V, R	10, 14, 21, 32
<i>Busarellus nigricollis</i>	Black-collared Hawk	U	St, Re, L, R	T, C, P	V	1, 4, 6, 8, 10, 12, 16, 20, 25, 28, 33, 34, 38
<i>Rupornis magnirostris</i>	Roadside Hawk	C	+	T, C, P	V, R	1, 3–6, 8, 10–12, 14, 15, 17–20, 23, 25, 26, 31, 33–36, 38, 41, 42
<i>Buteo platypterus (NB)</i>	Broad-winged Hawk	U	Tf, Fl, F2	P	V	27, 28, 29, 32
<i>Buteo brachyurus</i>	Short-tailed Hawk	U	F2, A	P	V	25, 26, 28
<i>Morphnus guianensis (VU)</i>	Crested Eagle	U	Tf	T, C, P	V	10, 12, 14, 20, 24, 30, 31, 41
<i>Harpia harpyja (VU)</i>	Harpie Eagle	U	Tf	T, P	V, A	14, 17, 26, 29
<i>Spizaetus tyrannus</i>	Black Hawk-Eagle	U	Tf, Fl	T, C, P	V, R	7, 9, 12, 14, 16, 21, 23, 28, 31, 32, 35, 37, 42
<i>Spizaetus ornatus</i>	Ornate Hawk-Eagle	U	Tf	T, P	V, A	4, 8, 15, 23, 30
Psophiidae (1)						
<i>Psophia crepitans</i>	Gray-winged Trumpeter	U	Tf, Np	T, C, P	P, A	6, 12–14, 16, 21, 23, 28, 31, 32, 36, 39, 41

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Rallidae (7)						
<i>Aramides cajaneus</i>	Gray-necked Wood-Rail	U	Fl, Re, L	T, C, P	V, R	1, 4, 7, 9, 11, 14–16, 21, 24, 28, 31, 33, 35, 39
<i>Amaurolimnas concolor</i>	Uniform Crane	R	L	P	V, A	27, 28
<i>Anurolimnas costaneiceps</i>	Chestnut-headed Crane	C*	Fl, Re, F2	T, C, P	V, R	8, 11, 12, 15, 16, 19, 22, 25, 27, 28, 33, 34, 37, 40
<i>Anurolimnas fasciatus</i>	Black-banded Crane	F	L, A	T, C, P	V, R	1, 4, 5, 8, 9, 11, 15, 16, 19, 21, 25, 27, 33, 34, 37, 41
<i>Laterallus melanophaius</i>	Rufous-sided Crane	U	L	T, C, P	V, R	3, 7, 9, 13, 15, 20, 25, 27, 33, 37
<i>Laterallus exilis</i>	Gray-breasted Crane	U	F2, A	T, C, P	P, R	1, 4, 7, 13, 15, 20, 23, 26, 28, 37, 39, 41
<i>Porphyrio martinicus</i>	Purple Gallinule	U	Re	T, C, P	V, P	1, 7, 10, 13, 15, 19, 21, 25, 28, 33, 37
Helionithidae (1)						
<i>Heliornis fulica</i>	Sungrebe	F*	L, R	T, C, P	V	3, 7, 8, 10, 13, 15–17, 20, 23, 27, 31, 34, 37
Eurypyidae (1)						
<i>Eurypyga helias</i>	Sunbittern	U	St, Re, L	T, C, P	V, A	3, 5, 7, 9, 15, 19, 24, 25, 27, 33, 38
Charadriidae (2)						
<i>Vanellus cayanus</i>	Pied Lapwing	U	L	T, C, P	V	1, 3, 9, 13, 15, 17, 21, 27, 33, 34
<i>Charadrius collaris</i>	Collared Plover	U	Re	T, C, P	V	1, 3, 5, 13, 15, 20, 25, 27, 34, 38
Scolopacidae (10)						
<i>Gallinago paraguaiae</i>	South American Snipe	U	Re, A	T, C, P	V	1, 3, 7, 8, 15, 25, 33, 34
<i>Bartramia longicauda (NB)</i>	Upland Sandpiper	U	Re, A	T, C, P	V	1, 4, 5, 8, 11, 16, 19, 25, 33–35
<i>Actitis macularia (NB)</i>	Spotted Sandpiper	C	Re, A	T, C, P	V	1, 3–5, 8, 11, 12, 15, 17–19, 22, 24, 25, 33–35, 38, 39, 41
<i>Tringa melanoleuca (NB)</i>	Greater Yellowlegs	U	Re, A	T, C, P	V, A	1, 4, 5, 8, 9, 15, 16, 19, 25, 27, 33, 34
<i>Tringa flavipes (NB)</i>	Lesser Yellowlegs	U	A	T, C, P	V	1, 3–5, 11, 12, 15, 16, 19, 23, 25, 33, 34
<i>Tringa solitaria (NB)</i>	Solitary Sandpiper	U	Re, A	T, C, P	V, A	1, 4, 5, 8, 9, 11, 15, 16, 19, 25, 27, 33–35
<i>Calidris bairdii (NB)</i>	Baird's Sandpiper	U	A	T, C, P	V	1, 11, 15, 16, 19, 25, 34
<i>Calidris melanotos (NB)</i>	Pectoral Sandpiper	U	A	T, C, P	V	1, 3–5, 11, 15, 16, 19, 23, 25, 33
<i>Calidris himantopus (NB)</i>	Stilt Sandpiper	U	A	T, C, P	V	1, 3, 5, 12, 15, 16, 19, 23, 34
<i>Tryngites subruficollis (NB)</i>	Buff-breasted Sandpiper	U	Re	T, C, P	V	1, 3, 5, 13, 20, 25, 27, 34, 38

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Jacaniidae (1)						
<i>Jacana jacana</i>	Wattled Jacana	F	Re, L	T, C, P	V, R	1, 3–5, 7–9, 11–13, 15, 19–21, 24, 25, 27, 33–36, 37, 39, 41, 42
Laridae (2)						
<i>Sternula superciliaris</i>	Yellow-billed Tern	F*	R	T, C, P	V, A	1, 3–5, 8, 10–13, 15, 18, 19, 22–25, 28, 33–35, 39, 40
<i>Phaethusa simplex</i>	Large-billed Tern	F*	R	T, C, P	V, A	1, 3–5, 8, 10–13, 15, 18, 19, 22–25, 28, 33–35, 39
Rhynchopidae (1)						
<i>Rynchops niger</i>	Black Skimmer	U	L, R	T, C, P	V	1, 4, 8, 13, 17, 25, 33, 34, 37
Columbidae (11)						
<i>Columbina talpacoti</i>	Ruddy Ground-Dove	C*	Re, A	T, C, P	V, A	1, 3, 5, 9, 10, 12, 15, 18–20, 24, 27, 33, 34, 37, 39, 40
<i>Claravis pretiosa</i>	Blue Ground-Dove	F*	Re, F2, A	T, C, P	V, R	1, 4, 5, 9, 12, 14, 15, 19, 20, 23, 24, 26, 28, 31, 34, 35, 37, 42
<i>Patagioenas speciosa</i>	Scaled Pigeon	F*	Tf, Fl	T, C, P	V, A	1, 3–5, 8, 10–12, 15, 16, 22, 24, 25, 28, 33, 34, 38, 40
<i>Patagioenas cayennensis</i>	Pale-vented Pigeon	F*	Fl, Re, L	T, C, P	V, R	1, 3–6, 9, 10, 12, 15, 16, 19, 20, 25, 27, 28, 33, 34, 36, 40
<i>Patagioenas plumbea</i>	Plumbeous Pigeon	C	Tf, Fl	T, C, P	V, R	1, 3, 5, 8, 10, 12, 13, 15, 16, 18, 19, 21, 24–26, 28, 30–32, 34, 35, 38, 41
<i>Patagioenas subvinacea</i>	Ruddy Pigeon	C*	Tf, Fl, F2	T, C, P	V, R	1–3, 5–8, 10, 12, 14, 15, 18–20, 23, 24, 27, 28, 31, 33, 34, 37, 39, 40, 42
<i>Zenaida auriculata</i> (NB)	Eared Dove	X	A	T, C	V	15, 37
<i>Leptotila verreauxi</i>	White-tipped Dove	U	Re, F2	T, C, P	V, A	3, 5, 12, 14, 15, 18, 20, 24, 25, 33, 34, 38, 41
<i>Leptotila rufaxilla</i>	Gray-fronted Dove	C	Re, F2, A	T, C, P	V, A	1, 3–6, 8–11, 13, 15, 16, 18, 20, 21, 24, 25, 27, 33, 34, 36, 37, 41
<i>Geotrygon saphirina</i>	Sapphire Quail-Dove	R	Tf	P	V	28, 29
<i>Geotrygon montana</i>	Ruddy Quail-Dove	U	Tf	T, C, P	V, A	1, 5, 11, 14, 15, 19, 20, 23, 26, 29, 31, 32, 36, 39, 40
Opisthocomidae (1)						
<i>Opisthocomus hoazin</i>	Hoatzin	F	L	T, C, P	V, A	9, 11, 13, 15, 17, 19, 21, 25, 34, 37, 41
Cuculidae (11)						
<i>Coccyzus minuta</i>	Little Cuckoo	U	Re	T, C, P	V	3, 5, 7, 9, 13, 15, 20, 24, 27, 31, 33, 34, 42
<i>Coccyzus cinerea</i> (NB)	Ash-colored Cuckoo	X	F2	T	V	15
<i>Piaya cayana</i>	Squirrel Cuckoo	C	+	T, C, P	V, R	1, 3, 5, 7, 8, 10–12, 15, 16, 18–20, 23, 25, 26, 28, 31, 33–36, 38, 39, 41, 42
<i>Piaya melanogaster</i>	Black-bellied Cuckoo	F	Tf, Np	T, C, P	V, R	2, 10, 12–15, 19, 20, 22, 24, 26, 30, 31, 36, 37
<i>Coccyzus melacoryphus</i> (NB)	Dark-billed Cuckoo	U	F2, A	T, C, P	V	5, 9, 11, 12, 15, 18, 22, 25, 27, 34, 36

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Coccyzus americanus</i> (NB)	Yellow-billed Cuckoo	U	F2	T, C, P	V	4, 11, 15, 18, 21, 28, 33, 34
<i>Crotophaga major</i>	Greater Ani	C	Re, L	T, C, P	V, R	1, 3–5, 7, 9–11, 13, 15, 16, 18, 20, 21, 24, 25, 28, 34–37, 40, 41
<i>Crotophaga ani</i>	Smooth-billed Ani	C	Re, F2, A	T, C, P	V, A	1, 3, 4, 8, 9, 11–13, 15, 16, 18, 19, 22, 24, 25, 27, 33, 34, 36, 38, 41
<i>Tapera naevia</i>	Striped Cuckoo	U	Re, F2, A	T, C, P	V, R	1, 3, 8, 15, 25, 34
<i>Dromococcyx phasianellus</i>	Pheasant Cuckoo	U	Tf, Re, F2	T, P	V, R	1, 9, 15, 16, 20, 23, 24, 27, 29, 31, 32
<i>Neomorphus geoffroyi</i>	Rufous-vented Ground-Cuckoo	R	Tf	T, P	V	24, 32
Strigidae (8)						
<i>Megascops choliba</i>	Tropical Screech-Owl	C	Fl, F2	T, C, P	P, R	1, 3, 5, 7, 8, 10–12, 15, 16, 18, 22, 23, 25–27, 28, 30, 33, 34, 37, 40
<i>Megascops watsonii</i>	Tawny-bellied Screech-Owl	F	Tf, Fl	T, C, P	P, R	3, 5, 8–10, 13, 15, 16, 18, 21, 24–26, 28, 30, 32, 34, 35, 38, 42
<i>Lophotrix cristata</i>	Crested Owl	U	Tf	T, C, P	V, R	10, 12, 15, 18, 22, 23, 26, 30, 32, 35, 38, 42
<i>Pulsatrix perspicillata</i>	Spectacled Owl	F	Tf, Re	T, C, P	V, R	4, 5, 8, 10, 12, 14, 15, 19, 21, 24, 26, 29, 31, 32, 34, 35, 37, 39, 41, 42
<i>Ciccaba virgata</i>	Mottled Owl	U	Tf, Np	T, P	R	11, 12, 16, 19, 21, 26, 29, 31, 32
<i>Ciccaba huhula</i>	Black-banded Owl	U	Fl, Re	T, C, P	R	5, 8, 10, 12, 15, 20, 28, 35, 41
<i>Glaucidium hardyi</i>	Amazonian Pygmy-Owl	U	Tf	P	R	25, 26, 27
<i>Glaucidium brasilianum</i>	Ferruginous Pygmy-Owl	C	+	T, C, P	P, R	1, 3–5, 7, 9, 10, 11, 15, 16, 18, 20, 22, 23, 25, 26, 28, 30, 33–36, 39, 41
Nyctibiidae (4)						
<i>Nyctibius grandis</i>	Great Potoo	U	Re, L	T, C, P	V, R	1, 3, 5, 8, 10, 12, 15, 20, 24, 26, 28, 32, 34, 40
<i>Nyctibius aethereus</i>	Long-tailed Potoo	R	Tf, Np	P	R	26, 28, 32
<i>Nyctibius griseus</i>	Common Potoo	F	Re, L, F2	T, C, P	P, R	1, 3, 5, 8, 10–12, 14–16, 19, 20, 23–25, 28, 31, 33, 34, 37, 40–42
<i>Nyctibius bracteatus</i>	Rufous Potoo	R	Tf	T, P	V, R	18, 20, 26
Caprimulgidae (9)						
<i>Lurocalis semitorquatus</i>	Short-tailed Nighthawk	U	Tf	P	V, R	25, 30, 32
<i>Chordeiles nacunda</i> (NB)	Nacunda Nighthawk	U	A	T, C, P	V	1, 4, 10, 15, 25, 33
<i>Chordeiles rupestris</i>	Sand-colored Nighthawk	C*	Re	T, C, P	V	1, 3, 4, 8, 10, 15, 16, 19, 21, 25, 27, 28, 33, 34, 35, 40
<i>Chordeiles minor</i> (NB)	Common Nighthawk	U	+	P	V	26, 27, 31, 32
<i>Nyctidromus albigallus</i>	Common Pauraque	F	+	T, C, P	V, R	1, 3–7, 9–12, 14–16, 18, 21, 23–25, 27, 28, 33–35, 37, 38, 40–42
<i>Nyctiphrynus ocellatus</i>	Ocellated Poorwill	U	Tf	T, C, P	A	15, 18, 19, 22, 25, 35, 39, 41, 42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Caprimulgus nigrescens</i>	Blackish Nightjar	R	F2	T	V	8, 12, 15
<i>Hydropsalis climacocerca</i>	Ladder-tailed Nightjar	U	Re, L	T, C, P	V	6, 8, 9, 11, 13, 15, 17, 20, 25, 34
Apodidae (7)						
<i>Chaetura cinereiventris</i>	Gray-rumped Swift	U	+	T, C, P	V	3, 9, 11, 15, 19, 21, 25, 29, 30, 32, 34, 36, 39, 41
<i>Chaetura egregia</i>	Pale-rumped Swift	U	+	T, C, P	V	6, 9, 10, 14, 19, 21, 23, 29, 30, 32, 33, 34, 36, 40, 41
<i>Chaetura pelagica (NB)</i>	Chimney Swift	U	+	T, C, P	V	5, 9, 14, 18, 21, 25, 29, 32, 34, 36
<i>Chaetura viridipennis</i>	Amazonian Swift	U	+	T, C, P	V	1, 3, 7, 11, 15, 16, 20, 26, 30, 34, 37
<i>Chaetura brachyura</i>	Short-tailed Swift	C	+	T, C, P	V	1, 3, 5, 8, 11, 12, 15, 16, 18, 21, 23, 25–29, 31, 33, 34, 36, 39, 41, 42
<i>Tachornis squamata</i>	Fork-tailed Palm-Swift	C	+	T, C, P	V	1, 4–6, 9–11, 13–16, 19, 21, 23, 24, 26, 27, 30, 34, 38, 39, 41, 42
<i>Panyptila cayennensis</i>	Lesser Swallow-tailed Swift	U	+	T, C, P	V	6, 7, 11, 15, 19, 24, 28, 31, 34, 39, 41
Trochilidae (24)						
<i>Topaza pyra</i>	Fiery Topaz	U	St, Ps	T, P	V, A	8, 15, 19, 25, 28
<i>Florisuga mellivora</i>	White-necked Jacobin	U	Np, Re, A	T, C, P	V	1, 3, 5, 6, 10, 12, 14, 17, 18, 22, 26, 31, 34, 36, 42
<i>Glaucis hirsutus</i>	Rufous-breasted Hermit	C	+	T, C, P	V, A	1, 3, 5, 8, 11, 12, 14–16, 18, 21, 23, 25, 26, 28–30, 33, 34, 36, 39, 41
<i>Threnetes leucurus</i>	Pale-tailed Barbthroat	U	F2, A	T, C, P	V	5, 9, 13, 15, 16, 19, 21, 27, 31, 33, 34, 37, 40
<i>Phaethornis atrimentalis</i>	Black-throated Hermit	F	+	T, C, P	V, A	1, 4–6, 8, 12, 16, 18, 22, 23, 25, 28, 31, 33, 35, 37, 38, 41
<i>Phaethornis ruber</i>	Reddish Hermit	F*	Tf, Fl, Np	T, C, P	V, A	1, 3, 5, 8, 10, 12, 15, 17, 19–21, 26, 28, 30, 32, 34, 36, 38, 40
<i>Phaethornis hispidus</i>	White-bearded Hermit	C	Fl, Re	T, C, P	V, A	3, 5, 8, 10, 11, 15–17, 18, 20, 22, 24–26, 28, 31, 33, 34, 36, 38, 40
<i>Phaethornis bourcieri</i>	Straight-billed Hermit	F	Tf	T, C, P	V, R	10, 12, 14, 16, 18, 19, 21, 22, 24, 26, 29, 31, 32, 35, 37, 39, 40, 41
<i>Phaethornis malarus</i>	Great-billed Hermit	C	+	T, C, P	V, R	2, 4, 5, 8, 10–12, 15, 16, 18, 20, 23, 26, 28–30, 32, 34, 36, 39–41
<i>Heliothryx auritus</i>	Blach-eared Fairy	U	Tf	T, P	V	15, 16, 18, 32
<i>Anthracothorax nigricollis</i>	Black-throated Mango	U	Re, F2, A	T, C, P	V	1, 3, 7, 11, 15, 23, 25, 28, 35, 37
<i>Discosura langsdorffi</i>	Black-bellied Thorntail	U	Tf, A	T, P	V	9, 15, 23, 29, 32
<i>Lophornis chalybeus</i>	Festive Coquette	U	F2, A	T, C, P	P	9, 11, 13, 14, 25, 33, 34
<i>Heliodoxa schreibersii</i>	Black-throated Brilliant	R	St	P	V	28, 29, 31
<i>Heliodoxa aureescens</i>	Golud's Jewfront	U	Tf, Np, F2	T, C, P	V, A	2, 12, 14, 18, 21, 23, 24, 31, 32, 36, 40
<i>Chlorostilbon mellisugus</i>	Blue-tailed Emerald	F	Re, F2, A	T, C, P	V	4, 5, 9, 11, 13, 15, 18, 23, 24, 27, 31, 34, 36, 39, 40

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Chlorestes notata</i>	Blue-chinned Sapphire	U	F2, A	T, C, P	V	9, 12, 13, 15, 22, 25, 27, 33, 38
<i>Campylopterus largipennis</i>	Gray-breasted Sabrewing	U	F2	T, C, P	P	7, 11, 13, 15, 18, 23, 27, 29, 37, 39
<i>Thalurania furcata</i>	Fork-tailed Woodnymph	U	Tf, Np, F2, A	T, C, P	P, A	3, 5, 6, 9, 12, 15, 21, 24, 25, 26, 31, 32, 36, 39, 41
<i>Leucippus chlorocercus</i>	Olive-spotted Hummingbird	U	Re	T	V	1, 3, 6
<i>Amazilia fimbriata</i>	Glittering-throated Emerald	U	F2, A	T, C, P	V, A	1, 5, 9, 11, 13–15, 18, 19, 23, 24, 26, 27, 30, 32, 34, 37, 41
<i>Chrysornis oenone</i>	Golden-tailed Sapphire	F	F2, A	T, C, P	P, A	4, 9–11, 15, 20, 24, 29, 33, 34, 38
<i>Hylocharis sapphirina</i>	Rufous-throated Sapphire	R	F2	P	V, A	25, 26, 32
<i>Hylocharis cyanus</i>	White-chinned Sapphire	F	Np	T	V	2–4, 6, 12, 14
Trogonidae (7)						
<i>Pharomachus pavoninus</i>	Pavonine Quetzal	F	Tf, Fl	T, C, P	V, R	4, 8, 10, 12, 13–15, 19, 21, 23, 26, 29–31, 35, 36, 38, 39, 42
<i>Trogon melanurus</i>	Black-tailed Trogon	F	Tf, Fl	T, C, P	V, R	1, 3, 5, 6, 8, 11, 12, 14–16, 19, 21, 24, 26, 28, 30, 31, 34, 35, 38, 39, 42
<i>Trogon viridis</i>	Green-backed Trogon	C	+	T, C, P	V, R	5, 6, 8, 10, 12, 14, 15, 18, 20, 23, 25, 26, 29, 30, 32, 34–36, 39, 41, 42
<i>Trogon ramanianus</i>	Amazonian Trogon	U	Tf, Fl, Np	T, C, P	P, R	2, 6, 10, 12, 14, 15, 17, 23, 24, 26, 31, 32, 38, 39
<i>Trogon curucui</i>	Blue-crowned Trogon	U	Tf, Fl, L, F2	T, C, P	V, R	1, 3, 6, 7, 9, 11, 15, 16, 21, 24, 27, 29, 31, 37, 42
<i>Trogon rufus</i>	Black-throated Trogon	U	Tf, Np	T, C, P	V, R	12, 14, 18, 21, 29, 32, 38
<i>Trogon collaris</i>	Collared Trogon	F	Fl, Re	T, C, P	V, R	1, 3, 6, 8, 11, 15, 17, 18, 20, 22, 24–26, 28, 33, 34, 36, 38, 40
Alcedinidae (5)						
<i>Megasceryle torquata</i>	Ringed Kingfisher	F	L, R, A	T, C, P	V, A	1–5, 9, 11–13, 15, 16, 20, 21, 24, 25, 27, 28, 34–37
<i>Chloroceryle amazona</i>	Amazon Kingfisher	C	L, R, A	T, C, P	V, A	1, 3–5, 11–13, 15, 16, 18, 20, 21, 24, 25, 27, 28, 34–37, 41
<i>Chloroceryle americana</i>	Green Kingfisher	F	L, R	T, C, P	V, A	1, 3–5, 8, 11, 15–17, 20, 21, 24, 25–27, 33, 34, 36, 37, 38
<i>Chloroceryle inda</i>	Green-and-rufous Kingfisher	U	St, L	T, C, P	V, A	4, 7, 8, 13, 15, 23, 25, 28, 31, 35, 42
<i>Chloroceryle aenea</i>	American Pygmy Kingfisher	F	St, L	T, C, P	P, A	4, 6, 8, 11, 15, 17, 19, 21, 23, 25, 28, 31, 34, 35, 37, 40
Momotidae (3)						
<i>Electron platyrhynchum</i>	Broad-billed Motmot	U	Tf, Fl	T, C, P	V, R	12, 14, 15, 21, 24, 29, 31, 32, 36, 42
<i>Baryphthengus martii</i>	Rufous Motmot	F	Tf, Fl	T, C, P	V, R	3, 5, 8, 9, 12, 14–16, 18, 19, 21, 22, 27, 28, 30, 32, 35, 38, 39, 41
<i>Momotus momota</i>	Amazonian Motmot	F	Tf, F2	T, C, P	P, R	8, 10–12, 14, 15, 17, 19, 23, 24, 26, 28–30, 32, 34, 36, 39, 42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Galbulidae (7)						
<i>Galbalcyrynychus leucotis</i>	White-eared Jacamar	F	Re, F2	T, C, P	V, A	1, 3, 5, 8, 9, 11–13, 15, 20, 21, 24, 25–27, 28, 31, 34, 36, 37, 41
<i>Brachygalba lugubris</i>	Brown Jacamar	U	St, F2	T, P	P, A	10, 15, 18, 23–25
<i>Galbula albirostris</i>	Yellow-billed Jacamar	F	Tf, F2	T, C, P	V, R	8, 12, 14, 15, 19, 22, 24, 26, 28, 29, 31, 32, 34, 36, 38, 39, 42
<i>Galbula tombacea</i>	White-chinned Jacamar	F*	Fl, Np, St, L	T, C, P	P, R	5, 6, 8, 10–12, 14, 15, 19, 23, 25, 28, 33, 34, 36, 40
<i>Galbula chalcothorax</i>	Purplish Jacamar	U	Tf, St	T, P	V, A	10, 12, 15, 26
<i>Galbula dea</i>	Paradise Jacamar	U	Tf, Np	T, C, P	V, R	6, 12, 14, 15, 18, 20, 24, 26, 29, 31, 35, 37, 41
<i>Jacamerops aureus</i>	Great Jacamar	U	Tf, Fl	T, C, P	V, R	7, 8, 10, 15–17, 27, 28, 31, 38, 40, 42
Bucconidae (15)						
<i>Notharchus hyperrhynchus</i>	White-necked Puffbird	U	Tf	T, C, P	V, R	11, 12, 14, 15, 18, 21, 23, 25, 30, 32, 36, 39
<i>Notharchus ordii</i>	Brown-banded Puffbird	F*	Np	T, P	S, R	6, 15, 26
<i>Notharchus tectus</i>	Pied Puffbird	U	Tf	T, C, P	V, A	15, 19, 22, 26, 31, 32, 36, 38, 40
<i>Bucco macrodactylus</i>	Chesnut-capped Puffbird	F	Tf, F2	T, C, P	P, R	10, 12, 14–16, 19, 23, 24, 26, 29, 30, 32, 36, 38–40, 42
<i>Bucco tamatia</i>	Spotted Puffbird	U	Tf, Fl, Np	T, C, P	V, R	8, 13, 14–16, 20, 23, 24, 28, 32, 37, 39, 40
<i>Bucco capensis</i>	Collared Puffbird	U	Tf	T, P	V, R	12, 14, 16, 20, 22, 26, 29, 31, 32
<i>Malacoptila fusca</i>	White-chested Puffbird	U	Tf, Fl	T, C, P	P, R	11, 15, 19, 20, 23, 25, 29, 31, 37, 41
<i>Malacoptila rufa</i>	Rufous-necked Puffbird	U	Fl, F2	T, C, P	P, A	1, 13, 15, 28, 33, 38, 42
<i>Micromonacha lanceolata</i>	Lanceolated Monklet	R	Tf	T, C	P, A	10, 21, 37
<i>Nonnula brunnea</i>	Brown Nunlet	F*	Tf, F2	T, C, P	P, R	8, 11, 12, 15, 17, 19, 24, 26, 29, 32, 35, 38, 42
<i>Nonnula ruficapilla</i>	Rufous-capped Nunlet	U	Np, Re, L	T, C, P	V, R	2, 5, 6, 8, 9, 14, 25, 33, 35
<i>Monasa nigrifrons</i>	Black-fronted Nunbird	C	Fl, Re, L, F2	T, C, P	P, R	1–8, 10, 11, 15, 16, 18, 22, 24, 25, 27, 28, 31, 33–35, 38, 39, 41, 42
<i>Monasa morphoeus</i>	White-fronted Nunbird	C	Tf	T, C, P	V, R	10–12, 14, 15, 17, 19, 23, 26, 29, 30, 32, 35, 37, 39, 41, 42
<i>Monasa flavirostris</i>	Yellow-billed Nunbird	U	Tf	T, C, P	V	9, 15, 16, 18, 21, 24, 30, 36, 39, 42
<i>Cheilodiptera tenebrosa</i>	Swallow-winged Puffbird	C*	Re, A	T, C, P	V, R	1, 3–5, 7, 9, 10–12, 14, 15, 18, 20, 21, 24, 26, 27, 33, 34, 37, 39, 40, 42
Capitonidae (3)						
<i>Capito aurovirens</i>	Scarlet-crowned Barbet	F	Fl, F2	T, C, P	V, R	1, 5, 7, 8, 10, 12, 15, 16, 19, 23, 25, 27, 28, 33, 34, 37, 40, 42
<i>Capito auratus</i>	Gilded Barbet	C	+	T, C, P	P, R	1–8, 10–12, 14–17, 19, 20, 24, 26, 28, 29, 31, 33–36, 38, 39–42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Eubucco richardsoni</i>	Lemon-throated Barbet	U	Tf, F2	T, C, P	V, R	3, 11, 15, 17, 19, 22, 23, 28, 30, 32, 37
Ramphastidae (7)						
<i>Ramphastos tucanus</i>	White-throated Toucan	C	Tf, Fl, Ps, F2	T, C, P	P, R	1, 3, 5, 7, 10, 11–13, 15, 16, 19, 20, 22, 24, 26, 29–32, 34, 35, 37, 39, 41, 42
<i>Ramphastos vitellinus</i>	Channel-billed Toucan	C	Tf, Fl	T, C, P	V, R	1, 3, 5, 8, 10, 13, 15, 16, 18, 19, 21, 24, 26, 28, 29, 31, 32, 34, 35, 38, 42
<i>Selenidera reinwardtii</i>	Golden-collared Toucanet	F	Tf, Fl, Np	T, C, P	P, R	8, 10, 12, 14, 15, 17, 19, 21, 23, 25, 26, 29, 30, 31, 36, 38, 40, 42
<i>Pteroglossus inscriptus</i>	Lettered Aracari	F	Tf, Fl, F2	T, C, P	P, A	1, 3, 7, 9, 10, 12–15, 18, 22, 25, 27, 30, 31, 34, 38, 39, 40
<i>Pteroglossus castanotis</i>	Chestnut-eared Aracari	U	Tf, St	T, C, P	V, R	1, 5, 7, 9, 17, 21, 25, 27, 30, 31, 33, 34, 38, 40
<i>Pteroglossus pluricinctus</i>	Many-banded Aracari	F	Tf, Fl, F2	T, C, P	V, R	1, 4, 8, 9, 11, 14, 15, 19, 21, 22, 24, 25, 28, 31, 34, 35, 37, 38, 40, 41
<i>Pteroglossus azara</i>	Ivory-billed Aracari	F	Tf, Fl, Re	T, C, P	P, A	2, 4, 8, 10, 12, 15, 17, 21, 24, 25, 28, 29, 31, 32, 34, 35, 37, 39, 41
Picidae (16)						
<i>Picumnus rufiventris</i>	Rufous-breasted Piculet	U	Tf	T, P	P, A	10, 12, 15, 16, 23, 24, 29, 31, 32
<i>Picumnus lafresnayi</i>	Lafresnaye's Piculet	U	Fl	T, C, P	V, A	3, 7, 8, 10, 15, 19, 25, 28, 33, 37
<i>Melanerpes cruentatus</i>	Yellow-tufted Woodpecker	C	+	T, C, P	V, R	1–6, 8–10, 12, 14–16, 18, 21–25, 27, 31, 32, 33, 34, 37, 39, 41, 42
<i>Veniliornis passerinus</i>	Little Woodpecker	U	Fl, Np, F2	T, C, P	V, R	1, 3, 6, 12, 15, 25, 33, 34
<i>Veniliornis affinis</i>	Red-stained Woodpecker	F	Tf, Np	T, C, P	V, R	10, 12, 14, 15, 17, 23, 26, 31, 32, 34, 35, 38, 39, 41
<i>Piculus flavigula</i>	Yellow-throated Woodpecker	U	Tf, Fl, Np	T, C, P	V, R	6, 8, 12, 14–17, 23, 29, 30, 38, 39
<i>Piculus chrysochloros</i>	Golden-green Woodpecker	U	Tf, Fl	T, P	V, A	11, 15, 19, 20, 31
<i>Colaptes punctigula</i>	Spot-breasted Woodpecker	F	Re, F2	T, C, P	V, R	1, 3–5, 9–11, 13, 15, 16, 18–21, 24, 25, 27, 28, 33, 34, 36, 38, 42
<i>Ceuleus grammicus</i>	Scale-breasted Woodpecker	F	Tf, Fl, Np	T, C, P	V, R	1, 2, 5, 6, 10, 12, 14, 15, 18, 20, 23, 26, 28–30, 31, 35, 39, 40
<i>Ceuleus elegans</i>	Chestnut Woodpecker	F	+	T, C, P	V, R	2, 4, 5–8, 10, 12, 14, 15, 19–21, 24, 26, 29, 31–33, 35, 38, 40, 42
<i>Ceuleus flavus</i>	Cream-colored Woodpecker	F	Fl	T, C, P	V, R	1, 4, 8, 10, 11, 13, 15, 18, 24, 25, 28, 33, 34, 39, 40
<i>Ceuleus spectabilis</i>	Rufous-headed Woodpecker	R	Re, F2	T	P, A	15, 24
<i>Ceuleus torquatus</i>	Ringed Woodpecker	U	Tf, Fl, Np	T, C, P	V, R	10, 15, 22, 24, 27, 31, 35, 37
<i>Dryocopus lineatus</i>	Lineated Woodpecker	U	Tf, Re, F2	T, C, P	V, R	4, 9, 12, 14, 15, 20, 26, 29, 31, 36, 39, 41
<i>Campephilus rubricollis</i>	Red-necked Woodpecker	U	Tf, Fl, Np	T, C, P	V, R	2, 6, 8, 10, 12, 14, 15, 22, 25, 29, 32, 34, 39, 42
<i>Campephilus melanoleucos</i>	Crimson-crested Woodpecker	U	Tf, Re, F2	T, C, P	V, R	1, 3, 5, 6, 8, 9, 12, 15, 16, 24, 27, 29, 31, 33, 36, 38

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Falconidae (12)						
<i>Herpetothes carchinans</i>	Laughing Falcon	U	+	T, C, P	V, R	1, 4, 7, 8, 10, 12, 15, 16, 19, 21, 25, 26, 31, 33, 36, 41
<i>Micrastur ruficollis</i>	Barred Forest-Falcon	U	Tf	T, P	P, R	12, 15, 29, 31, 32
<i>Micrastur gilvicollis</i>	Lined Forest-Falcon	U	Tf, Fl	T, C, P	P, R	8, 11, 14, 15, 20, 24, 29, 31, 32, 36, 42
<i>Micrastur mirandollei</i>	Slaty-backed Forest-Falcon	U	Tf, Fl	T, P	V, A	11, 15, 21, 29
<i>Micrastur semitorquatus</i>	Collared Forest-Falcon	U	Tf	T, C, P	V, R	14, 15, 18, 22, 24, 29, 32, 39, 41
<i>Micrastur buckleyi</i>	Buckley's Forest-Falcon	R	Tf	P	R	26, 27, 32
<i>Ibycter americanus</i>	Red-throated Caracara	U	Tf, Fl	T, C, P	P, R	2, 3, 5, 8, 11, 13, 17, 20, 23, 25, 26, 31, 33, 36, 39
<i>Daptrius ater</i>	Black Caracara	F	+	T, C, P	V, R	5, 9–12, 14–16, 18, 23, 25–27, 28, 30, 33, 34, 38, 40, 41
<i>Milvago chimachima</i>	Yellow-headed Caracara	U	Re, A	T, C, P	V, R	1–6, 12, 13, 15, 19, 22–24, 26, 28, 33, 34
<i>Falco rufigularis</i>	Bat Falcon	F	Re, L, A	T, C, P	V, R	4, 5, 9, 11, 15, 18, 20, 24, 26, 29, 34, 35, 38, 40
<i>Falco deiroleucus</i> (NT)	Orange-breasted Falcon	R	Re	T, P	V	15, 27, 31
<i>Falco peregrinus</i> (NT, NB)	Peregrine Falcon	U	Re	T, P	V	1, 3, 9, 17, 25, 31
Psittacidae (21)						
<i>Ara ararauna</i>	Blue-and-Yellow Macaw	F	Tf, Fl, Re, Ps	T, C, P	V, R	1, 3, 4, 7, 9, 13, 15, 16, 18–20, 24, 26, 28, 31, 33, 34, 38, 42
<i>Ara macao</i> (NT)	Scarlet Macaw	F	Tf, Fl	T, C, P	V, R	8, 10, 13, 15, 16, 19, 20, 24, 26, 28, 31, 33, 34, 37, 40
<i>Ara chloropterus</i> (NT)	Red-and-Green Macaw	U	Tf, Fl	T, C, P	V, R	1, 3, 4, 8, 15, 16, 21, 28, 32, 35, 37
<i>Ara severus</i>	Chesnut-fronted Macaw	C*	Tf	T, C, P	V, R	8, 10, 12, 14, 15, 19, 21, 23, 24, 26, 28, 30, 31, 32, 34, 37, 39, 42
<i>Orthopsittaca manilata</i>	Red-bellied Macaw	C*	Tf, Fl, Ps, F2	T, C, P	V, R	1, 3, 8, 10, 12, 14, 15, 18, 19, 21, 23, 24, 26, 28, 31, 34, 37, 39, 40, 42
<i>Psittacara leucophthalma</i>	White-eyed Parakeet	F*	Re, Ps, F2	T, C, P	V, R	1, 2, 6, 8, 10, 12, 15, 18, 20, 22, 24, 27, 28, 33, 34, 37, 42
<i>Aratinga weddellii</i>	Dusky-headed Parakeet	F	Fl, Re, F2	T, C, P	V, R	1, 3, 8, 10, 12, 15, 18, 20, 22, 24, 27, 28, 33, 34, 37, 41, 42
<i>Pyrrhura melanura</i>	Maroon-tailed Parakeet	C	Tf, Fl, Np, F2	T, C, P	V, R	4, 5, 7, 10, 12–16, 19, 21, 22, 24, 26, 28, 30, 31, 33, 34, 36, 38, 42
<i>Forpus xanthopterygius</i>	Blue-winged Parrotlet	U	Fl, Re	T, C, P	V, R	1, 6, 8, 13, 15, 19, 25, 28, 33–35
<i>Forpus modestus</i>	Dusky-billed Parrotlet	F	Fl, Re	T, C, P	V, R	1, 3, 9, 10, 13, 15, 20, 22, 25, 28, 33, 34, 38, 40
<i>Brotogeris versicolurus</i>	Canary-winged Parakeet	C	Fl, Np, Re, A	T, C	V, R	1–15, 34–36
<i>Brotogeris cyanoptera</i>	Cobalt-winged Parakeet	C	+	T, C, P	V, R	1, 3–6, 8–10, 12–16, 18, 21–25, 27, 31, 33–35, 37, 39, 41, 42
<i>Touit huetii</i>	Scarlet-shouldered Parrotlet	U	Tf	T, C, P	V, A	14, 15, 18, 20, 24, 29, 32, 37, 42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Touit purpuratus</i>	Sapphire-rumped Parrotlet	F*	Tf, Fl	T, C, P	P, A	8, 12, 15, 18, 21, 22, 30, 33, 34, 38
<i>Pionites melanocephalus</i>	Black-headed Parrot	C	Tf, Fl, Re	T, C, P	P, R	1, 4, 5, 8, 10, 12, 15, 18, 21, 24–26, 28, 29, 31, 32, 34, 35, 37, 39, 41
<i>Pyrrhula barrabandi</i>	Orange-cheeked Parrot	F	Tf, Fl	T, C, P	V, A	1, 3, 5, 8, 10, 15, 19, 21, 24, 25, 31, 33, 34, 35, 37, 40
<i>Graydidascalus brachyurus</i>	Short-tailed Parrot	R	Fl, Re	T, C	V, A	1, 3, 34
<i>Pionus menstruus</i>	Blue-headed Parrot	C	Tf, Fl, F2	T, C, P	V, R	1, 3–5, 9, 10, 12, 14–16, 18, 20, 24, 26, 28, 31, 34, 36, 39, 42
<i>Amazona ochrocephala</i>	Yellow-crowned Parrot	F	Tf, Fl, Ps, F2	T, C, P	V, A	1, 7, 10, 11, 13, 15, 16, 19, 22, 24, 26, 29, 31, 34, 35, 37, 41, 42
<i>Amazona amazonica</i>	Orange-winged Parrot	C	Tf, Fl, Re, F2	T, C, P	V, A	1, 5, 8, 10, 12, 14, 15, 17, 21, 24–26, 29, 31, 32, 34, 35, 37, 39, 41
<i>Amazona farinosa</i>	Mealy Parrot	F	Tf, Fl	T, C, P	P, R	2, 4, 7, 8, 10, 11, 13, 15, 16, 20, 24, 25, 26, 28, 29, 31, 34, 35, 37, 41
Thamnophilidae (58)						
<i>Euchrepomis humeralis</i>	Chestnut-shouldered Antwren	U	Tf	T, P	V, A	15, 18, 20, 22, 23, 29, 30, 32
<i>Cymbilaimus lineatus</i>	Fasciated Antshrike	F	Tf, Fl	T, C, P	V, R	1, 2, 4, 8, 10, 12, 13, 15, 16, 19, 22, 24, 27, 30, 31, 34, 35, 37, 39, 40
<i>Frederickena fulva</i>	Fulvous Antshrike	U	Tf, Fl, St	T, P	V, R	5, 9, 10, 15, 20, 22, 28, 31
<i>Taraba major</i>	Great Antshrike	C	Fl, Re, F2	T, C, P	V, R	1, 3, 4, 5, 9, 11, 13, 15, 16, 18, 20, 22, 24, 25, 27, 33, 34, 36, 38, 40
<i>Sakesphorus canadensis</i>	Black-crested Antshrike	U*	Re	T	V, R	1, 3, 5–8
<i>Thamnophilus doliatus</i>	Barred Antshrike	U	F2, A	T, C, P	V, R	1, 3, 4, 9, 11–13, 15, 19, 25, 27, 33, 34
<i>Thamnophilus schistaceus</i>	Plain-winged Antshrike	C	Tf, Fl	T, C, P	V, R	1–3, 5, 8, 10, 13, 15, 16, 19, 21, 24, 25, 27, 28, 31, 33, 34, 35, 38, 42
<i>Thamnophilus murinus</i>	Mouse-colored Antshrike	F*	Tf, Fl, Np	T, C, P	V, R	2, 6, 8, 11, 12, 14, 15, 17, 19, 22, 24, 26, 29, 31, 32, 34, 35, 42
<i>Thamnophilus aethiops</i>	White-shouldered Antshrike	R	Tf	T, P	V, R	24, 29
<i>Thamnophilus amazonicus</i>	Amazonian Antshrike	C	St, L	T, C, P	V, R	1–3, 5, 8, 9, 11, 15, 17, 25, 27, 34, 36, 38, 40
<i>Megascictus margaritatus</i>	Pearly Antshrike	U	Tf, Fl, Np	T, C, P	V, R	2, 10, 12, 14, 15, 17, 24, 26, 30, 32, 37, 39
<i>Neotantes niger</i>	Black Bushbird	U	Tf, Np	T, C, P	V, R	2, 9, 17, 22, 24, 26, 30, 37
<i>Thamnomanes ardesiacus</i>	Dusky-throated Antshrike	F	Tf, Fl	T, C, P	V, R	5, 8, 10, 11, 13, 15, 16, 19, 24, 26, 29, 30, 34–36, 39, 40
<i>Thamnomanes caesius</i>	Cinereous Antshrike	C	Tf, Fl, Np	T, C, P	V, R	1, 2, 4, 5, 9, 10, 12, 14, 15, 17, 18, 20, 21, 24, 26, 28–30, 36, 39, 42
<i>Iseria hauxwelli</i>	Plain-throated Antwren	C	Tf, Fl, Np	T, C, P	V, R	2, 5–7, 9, 10, 12, 14–16, 18, 20, 21, 26, 28–30, 31, 36, 38, 42
<i>Pygiptila stellaris</i>	Spot-winged Antshrike	F	Tf, Fl, Np	T, C, P	V, R	1, 3, 5, 6, 9, 10, 12, 14, 15, 20, 23, 27, 28, 30, 31, 35, 39, 40, 41
<i>Epinecrophylla haematonota</i>	Stipple-throated Antwren	U	Tf, Fl, Np	T, C, P	V, R	8, 10, 13, 14, 26, 28
<i>Epinecrophylla fjeldsaai</i>	Brown-backed Antwren	F	Fl	T, C, P	V, R	13, 15, 17, 21, 24, 28, 30, 32, 35, 40, 42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Epinecrophylla ornata</i>	Ornate Antwren	U*	Tf	T, C, P	V, R	14, 15, 17, 23, 30, 31, 35, 39, 42
<i>Epinecrophylla erythrura</i>	Rufous-tailed Antwren	U	Tf	T, C, P	V, R	15, 16, 18, 20, 23, 29, 32, 36, 40
<i>Myrmotherula brachyura</i>	Pygmy Antwren	C	Tf, Fl, Np, F2	T, C, P	V, R	1, 2, 6–8, 10, 12–15, 19, 21, 22, 24, 27, 28, 31, 33, 34, 38, 41, 42
<i>Myrmotherula ignota</i>	Moustached Antwren	F*	Tf, Fl, F2	T, C, P	V, R	6, 8, 10, 11, 13, 15, 16, 19, 21, 24, 26, 28, 30, 32, 34, 35, 38, 42
<i>Myrmotherula multistriata</i>	Amazonian Streaked-Antwren	C	St, Re, L	T, C, P	V, R	2, 6, 7, 9, 10, 13, 15, 17, 19, 20, 23, 25, 27, 30, 34, 35, 38, 41
<i>Myrmotherula cherriei</i>	Cherrie's Antwren	F*	Np	T, C, P	V, R	4, 12, 15, 16, 25, 33
<i>Myrmotherula axillaris</i>	White-flanked Antwren	C	Tf, Fl, Np	T, C, P	V, R	1–3, 5–7, 9, 10, 12, 14–16, 18, 20, 21, 23, 26–28–30, 31, 34, 36, 38, 42
<i>Myrmotherula longipennis</i>	Long-winged Antwren	U	Tf	T, C, P	P, R	14, 17, 19, 22, 26, 31, 32, 40, 41
<i>Myrmotherula menetriesii</i>	Gray Antwren	U	Tf, Np	T, C, P	V, R	1, 2, 11, 14, 15, 20, 26, 29, 31, 36, 39, 41
<i>Myrmotherula assimilis</i>	Leaden Antwren	U	Fl	T	V, R	1, 3
<i>Dichrozona cincta</i>	Banded Antbird	U	Tf	T, P	V, R	15, 16, 21, 23, 24, 32
<i>Herpsilochmus dugandi</i>	Dugand's Antwren	F	Tf	T, C, P	V, R	10, 15, 18, 21, 23, 24, 29, 31, 35, 37, 39, 41
<i>Herpsilochmus gentryi</i> (NT)	Ancient Antwren	C*	Np	T, C, P	V, R	12, 14, 15, 26, 29, 37, 38, 42
<i>Microrhopias quixensis</i>	Dot-winged Antwren	U	Tf	T, C, P	V, R	11, 16–18, 20, 29, 32, 36, 41, 42
<i>Hypocnemis peruviana</i>	Peruvian Warbling-Antbird	C	Fl, Np, St, F2	T, C, P	V, R	1–3, 5–10, 12, 14, 15, 18, 20, 22, 25, 27, 28, 31, 33–36, 38, 41, 42
<i>Hypocnemis hypoxantha</i>	Yellow-browed Antbird	U	Tf	T, C, P	V, R	12, 14, 17, 19, 22, 26, 31, 32, 37, 40, 41
<i>Cercomacroides serva</i>	Black Antbird	F	Fl, Np, Re, F2	T, C, P	V, R	2, 5, 8, 10, 12, 15, 17, 21, 24, 25, 27, 31, 33, 34, 36, 38
<i>Cercomacroides fuscicauda</i>	Riparian Antbird	U	F2	T, C, P	V, R	4, 7, 13, 15, 18, 27, 37
<i>Cercomacra cinerascens</i>	Gray Antbird	C	Tf, Fl, F2	T, C, P	V, R	1, 5, 9–11, 15, 16, 18, 23–25, 27, 28, 31, 33, 34, 36, 38, 39, 42
<i>Myrmoborus myotherinus</i>	Black-faced Antbird	U	Tf, Np	T, C, P	V, R	2, 6, 11, 12, 14, 15, 19, 20, 24, 26, 29, 30, 36, 39, 41, 42
<i>Myrmoborus melanurus</i> (NT)	Black-Tailed Antbird	R	Ps	T	V, R	3, 4, 10
<i>Hypocnemoides melanopogon</i>	Black-chinned Antbird	F	St, L	T, C, P	V, R	1–3, 6, 9, 11, 15, 18, 21, 25, 27, 33, 38
<i>Scelateria naevia</i>	Silvered Antbird	C	Fl, St	T, P	V, R	3–5, 8, 11, 12, 15, 17, 19, 22, 25, 27, 31
<i>Percnostola arenarum</i> (VU)	Allpahuayo Antbird	U	Np	T, P	V, R	12, 26
<i>Myrmelastes hyperythrus</i>	Plumbeous Antbird	F*	Fl, St, L	T, C, P	V, R	2, 7–11, 13, 15, 16, 19, 22, 23, 24, 26, 28, 31, 33, 34, 37, 40, 42
<i>Myrmelastes leucostigma</i>	Spot-winged Antbird	F	Fl, F2	T, C, P	V, R	4, 5, 7, 8, 10, 12, 15, 17, 19, 21, 23, 25, 28, 34, 37, 38, 41
<i>Scyphylax castanea</i>	Zimmer's Antbird	F	Np	T, P	P, R	12, 14, 15, 24, 29, 32

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Akletos melanoceps</i>	White-shouldered Antbird	C	Fl, Ps, F2	T, C, P	V, R	1, 4, 5, 8, 11, 13, 15, 16, 19, 22, 24, 25, 28, 33–36, 40, 42
<i>Hafferia fortis</i>	Sooty Antbird	F	Tf, Fl, Ps	T, C, P	V, R	1, 2, 4, 7, 9, 10, 13, 15, 16, 18, 19, 21, 24, 25, 27, 31, 34, 35, 39, 40
<i>Myrmophylax atrothorax</i>	Black-throated Antbird	U	Ps, F2	T, C, P	V, R	4, 7, 9, 10, 19, 24, 27, 33, 37
<i>Myrmornis torquata</i>	Wing-banded Antbird	U*	Tf	T, P	V, A	22, 24, 29, 32
<i>Pithys albifrons</i>	White-plumed Antbird	F	Tf, Np	T, C, P	V, R	4, 8, 10, 12, 14, 15, 19, 20, 22, 24, 26, 29, 30, 34, 36, 37, 42
<i>Gymnophithys leucaspis</i>	White-cheeked Antbird	F	Tf	T, C, P	V, R	10–12, 14, 15, 17, 21, 23, 26, 29, 30, 32, 35, 37, 39, 42
<i>Gymnophithys lunulatus</i>	Lunulated Antbird	U	Tf, Fl, Ps	T, P	V, R	5, 7, 15, 21, 23, 25, 27, 28
<i>Rhegmatorhina melanosticta</i>	Hairy-crested Antbird	U	Tf	T, P	P, R	10, 12, 15, 19, 21, 30
<i>Hylaphylax naevius</i>	Spot-backed Antbird	F	Tf, Fl, Ps	T, C, P	V, R	1–4, 6, 7, 9, 10, 13, 15, 16, 19, 21, 24, 25, 27, 31, 34, 35, 39, 42
<i>Hylaphylax punctulatus</i>	Dot-backed Antbird	C	St, L	T, C, P	P, R	5, 6, 8, 9, 11, 15, 16, 18, 21, 23, 25, 27, 34–36, 38, 40
<i>Willisornis poecilinotus</i>	Scale-backed Antbird	U	Tf, Np	T, C, P	V, R	1, 2, 11, 15, 16, 20, 24, 31, 32, 35, 36, 39, 41
<i>Phlegopsis nigromaculata</i>	Black-spotted Bare-eye	R	Fl	T, C, P	V, R	3, 25, 33
<i>Phlegopsis erythroptera</i>	Reddish-winged Bare-eye	U	Tf	T, C, P	V, R	11, 14–16, 18, 22, 26, 29, 32, 35, 37, 40, 42
Conopophagidae (1)						
<i>Conopophaga peruviana</i>	Ash-throated Gnateater	U	Tf	T, P	P, A	15, 21, 29, 30
Grallariidae (5)						
<i>Grallaria guatemalensis</i>	Scaled Antpitta	U*	Tf	T, P	V, R	22, 24, 31, 32
<i>Grallaria dignissima</i>	Ochre-striped Antpitta	U	Fl	T, C, P	V, R	4, 8, 19, 25, 28, 33, 37
<i>Hyllopezus macularius</i>	Spotted Antpitta	U*	Tf	T, P	V, R	1, 12, 13, 15, 21, 26, 28, 31
<i>Hyllopezus fulviventris</i>	White-lored Antpitta	R	St	P	A	28, 30
<i>Myrmothera campanisona</i>	Thrush-like Antpitta	F	Tf, Fl, Np	T, C, P	V, R	5, 6, 8, 10, 12, 14, 15, 20, 22, 23, 26, 28, 31, 32, 35, 37, 40
Rhinocryptidae (1)						
<i>Liosceles thoracicus</i>	Rusty-belted Tapaculo	F	Tf, Fl, Np	T, C, P	V, R	2, 9, 10, 12, 14, 15, 19, 20, 22, 23, 26, 29, 31, 32, 36, 37, 40, 42
Formicariidae (3)						
<i>Formicarius colma</i>	Rufous-capped Antthrush	U	Tf, Fl, Np	T, C, P	V, R	1, 2, 6, 8, 12, 14–16, 20, 24, 25, 30, 31, 33, 37, 39
<i>Formicarius analis</i>	Black-faced Antthrush	C*	Tf, Fl, F2	T, C, P	V, R	2, 5, 8, 9, 10, 13, 15, 16, 18, 22, 25, 27, 31, 32, 34, 36, 38, 40
<i>Chamaeza nobilis</i>	Striated Antthrush	U	Tf	T, C, P	V, R	10, 11, 14–16, 24, 26, 31, 32, 35, 37, 42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Furnariidae (41)						
<i>Sclerurus mexicanus</i>	Tawny-throated Leaf-tosser	U	Tf	T, C, P	P, R	11, 14, 15, 18, 21, 22, 25, 31, 32, 35, 38, 42
<i>Sclerurus rufularis</i>	Short-billed Leaf-tosser	U	Tf, Np	T, C, P	V, R	12, 14, 15, 21, 24, 26, 36, 37
<i>Sclerurus caudatus</i>	Black-tailed Leaf-tosser	U	Tf	T, P	V, A	15, 16, 28, 29
<i>Certhiasomus stictolaema</i>	Spot-throated Woodcreeper	U	Tf	T, P	V, A	15, 29, 31, 42
<i>Sittasomus griseicapillus</i>	Olivaceous Woodcreeper	U	Fl	T, C, P	P, R	2, 4, 6–8, 15, 19, 25, 28, 33, 35, 39
<i>Deconychura longicauda</i>	Long-tailed Woodcreeper	U	Tf	T, C, P	V, A	10, 12, 16, 19, 22, 29, 31, 35, 38, 42
<i>Dendrocincla fuliginosa</i>	Plain-brown Woodcreeper	F	Tf, Fl, Np	T, C, P	V, R	1, 5, 6, 8–10, 12, 14, 15, 19, 20, 22, 24, 26, 29, 31, 32, 36, 39, 42
<i>Dendrocincla merula</i>	White-chinned Woodcreeper	U	Tf	T, C, P	V, A	12, 14–16, 19, 26, 29, 31, 32, 37
<i>Glyphorhynchus spirurus</i>	Wedge-billed Woodcreeper	C	Tf, Fl, Np	T, C, P	P, R	1, 3–6, 8, 10–12, 14, 15, 17, 20, 22, 23–26, 28, 30–32, 34, 35, 37, 40–42
<i>Dendrexetastes rufigula</i>	Cinnamon-throated Woodcreeper	F	Tf, Fl, Re	T, C, P	V, R	1, 3–5, 8–10, 14, 15, 17, 19, 21, 24, 25, 31, 32, 34, 37, 39, 41
<i>Nasica longirostris</i>	Long-billed Woodcreeper	F*	Fl, Re, F2	T, C, P	V, R	1, 3–8, 10–13, 15, 16, 19, 20, 22–24, 26, 28, 33–35, 37, 39, 40
<i>Dendrocolaptes certhia</i>	Amazonian Barred-Woodcreeper	F	Tf, Fl, Np, F2	T, C, P	V, R	2, 5, 6, 8, 10, 12, 14–16, 19, 23, 24, 26, 29, 30, 32, 34, 36, 38, 41, 42
<i>Dendrocolaptes picumnus</i>	Black-banded Woodcreeper	U	Tf, Fl	T, C, P	V, R	7, 8, 12, 14, 15, 19, 21, 23, 28, 30, 35, 36, 40
<i>Xiphocolaptes promeropirhynchus</i>	Strong-billed Woodcreeper	U	Tf, Fl	T, C, P	V, A	4, 7, 11, 15, 20, 21, 24, 25, 27, 31, 36, 38, 41
<i>Xiphorhynchus obsoletus</i>	Striped Woodcreeper	C*	Fl, Np, Re, L	T, C, P	V, R	1, 5–9, 11, 13–15, 18, 19, 21, 23, 25, 27, 28, 31, 33, 34, 36, 39, 40, 41
<i>Xiphorhynchus ocellatus</i>	Ocellated Woodcreeper	F	Tf, Fl, Np	T, C, P	V, R	2, 8, 10, 12, 14, 15, 19, 22, 24, 25, 26, 30, 31, 34, 36, 37, 39, 42
<i>Xiphorhynchus elegans</i>	Elegant Woodcreeper	F	Tf, Fl, Np	T, C, P	V, R	1, 2, 4–6, 8, 10, 12, 14–16, 19, 22, 23, 25, 28, 30, 31, 34, 36, 37, 39, 40
<i>Xiphorhynchus guttatus</i>	Buff-throated Woodcreeper	C	+	T, C, P	V, R	1–8, 10–16, 18–20, 24–26, 28, 29, 31, 32, 34–36, 38, 39, 41, 42
<i>Dendroplex picus</i>	Straight-billed Woodcreeper	C	Re, F2, L, Fl	T, C, P	V, R	1, 3–11, 13, 15, 19, 20, 22, 24, 25, 27, 28, 31, 33–35, 37, 39, 41
<i>Campylorhynchus trochilirostris</i>	Red-billed Scythebill	U	Tf	T, P	P, A	15, 23, 29, 31, 32
<i>Lepidocolaptes duidae</i>	Duida Woodcreeper	U	Np, Tf	T, P	V, R	12, 14, 19, 26, 29, 32
<i>Xenops tenuirostris</i>	Slender-billed Xenops	U	Tf	T, C, P	V, R	14, 16, 19, 20, 25, 31, 32, 36, 37, 41
<i>Xenops minutus</i>	Plain Xenops	F	Tf, Fl, Np	T, C, P	V, R	2, 4, 6, 8, 10, 12, 14–16, 22, 23, 25, 27, 28, 30, 32, 36, 39, 40
<i>Berlepschia rikeri</i>	Point-tailed Palmcreeper	U	Ps	T, C, P	V, R	1, 7, 12, 16, 26, 37, 41, 42
<i>Microxenops milleri</i>	Rufous-tailed Xenops	U	Tf	T, C, P	V, R	11, 15, 18, 21, 29, 31, 39, 40

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Philydor erythrocerum</i>	Rufous-rumped Foliage-gleaner	U	Tf	T, P	V, R	15, 16, 18, 23, 30, 32
<i>Philydor erythropteron</i>	Chestnut-winged Foliage-gleaner	U	Tf	T, P	V, R	15, 23, 24, 29, 31
<i>Philydor pyrrhodes</i>	Cinnamon-rumped Foliage-gleaner	F*	Tf, St, L	T, C, P	P, R	5, 8, 11–13, 15, 16, 20, 22, 25, 28, 29, 31, 35, 37, 40
<i>Anabarcethia ruficaudata</i>	Rufous-tailed Foliage-gleaner	U	Tf	T, C, P	V, A	10, 12, 15, 16, 22, 29, 30, 31, 35, 36, 40, 41
<i>Ancistrops strigilatus</i>	Chestnut-winged Hookbill	U	Tf	T, C, P	V, R	12, 14–16, 20, 21, 25, 31, 32, 38, 40, 42
<i>Automolus subulatus</i>	Striped Woodhaunter	U	Tf, Fl, Np	T, C, P	V, R	2, 5–7, 12, 14–16, 18, 21, 24, 26, 31, 35, 38, 42
<i>Automolus ochrolaemus</i>	Buff-throated Foliage-gleaner	F	Tf, Fl, Np	T, C, P	P, R	2, 5, 8, 10, 12, 14, 15, 17, 22, 23, 25, 26, 28–30, 32, 36, 39, 40, 42
<i>Automolus infuscatus</i>	Olive-backed Foliage-gleaner	C	Tf, Np	T, C, P	V, R	2, 8, 10, 12, 14–16, 19, 20, 22, 24, 26, 29–31, 34, 36, 37, 42
<i>Automolus melanopezus</i>	Brown-rumped Foliage-gleaner	F*	Fl, F2	T, P	V, A	13, 16, 25, 28
<i>Automolus rubiginosus</i>	Ruddy Foliage-gleaner	U	Tf	T, C, P	V, R	12, 14–16, 17, 21, 27, 30, 31, 38–40
<i>Automolus rufipileatus</i>	Chestnut-crowned Foliage-gleaner	C	St, Re, F2	T, C, P	V, R	3, 5, 7, 9, 11, 12, 14–16, 18, 20, 22, 23–25, 27, 31, 33, 34, 37, 38, 40
<i>Cranioleuca gutturata</i>	Speckled Spinetail	U	Tf, Fl	T, C, P	V, A	4, 15, 16, 20, 23, 28, 30, 36, 39, 42
<i>Synallaxis albigularis</i>	Dark-breasted Spinetail	U*	Re, A	T, C	V	1, 7, 9, 15, 25, 28
<i>Synallaxis rutilans</i>	Ruddy Spinetail	U	Tf, Np, F2	T, C, P	V, R	2, 10, 12–15, 20, 22, 25, 26, 28, 31, 36, 42
<i>Synallaxis cherriei</i>	Chestnut-throated Spinetail	R	Tf, F2	T	V, A	14, 15
<i>Synallaxis gujanensis</i>	Plain-crowned Spinetail	C*	Re, F2, A	T, C, P	V, R	1, 4, 5, 9, 11, 13, 15, 25, 33, 34, 36
Tyrannidae (74)						
<i>Tyrannulus elatus</i>	Yellow-crowned Tyrannulet	C	+	T, C, P	P, R	1, 3–7, 10, 12–16, 17, 19, 20, 24, 27, 28, 31, 33–36, 37, 39, 41
<i>Myiopagis gaimardii</i>	Forest Elaenia	F	+	T, C, P	V, R	1, 6–9, 11, 12, 14, 15, 17, 23, 24, 26, 29, 30, 32, 34, 37, 38, 40, 41
<i>Myiopagis caniceps</i>	Gray Elaenia	U	Tf, Fl, Np	T, C, P	V, R	6, 10, 12, 14, 15, 18, 21, 24, 26, 30, 32, 35, 38, 40
<i>Myiopagis flavivertex</i>	Yellow-crowned Elaenia	F*	Fl, St	T, C, P	V, A	1, 3, 8, 10, 11, 15, 16, 18, 22, 24, 25, 27, 28, 33, 36, 37, 40
<i>Elaenia spectabilis (NB)</i>	Large Elaenia	U	F2	T, C, P	V, R	1, 4, 5, 9, 11, 19, 24, 27, 33
<i>Elaenia parvirostris (NB)</i>	Small-billed Elaenia	U	F2	T, P	V	1, 4, 9, 11, 15, 18, 19, 24, 27
<i>Elaenia strepera (NB)</i>	Slaty Elaenia	R	Re	T	V	1, 3
<i>Ornithion inerne</i>	White-lored Tyrannulet	U	Tf, Fl, Np	T, C, P	V, R	2–5, 7, 10, 12, 13–15, 18, 21, 24, 26, 30, 32, 35, 38, 40, 42
<i>Camptostoma obsoletum</i>	Southern Beardless-Tyrannulet	U	Fl, Re, F2	T, C, P	V, R	1, 4, 8, 10, 11, 15, 19, 23, 25, 28, 31, 33, 37, 41

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Phaeomyias murina</i>	Mouse-colored Tyrannulet	F*	F2, A	T, C, P	V, R	1, 4, 5, 10, 11, 12, 15, 17, 19, 25, 33, 34
<i>Corythopis torquatus</i>	Ringed Antpiper	U	Tf, Np	T, C, P	V, R	11, 12, 14, 16, 20, 21, 30, 32, 35, 39, 42
<i>Zimmerius villarejoi</i> (vu)	Mishana Tyrannulet	U*	Np	T, P	V, R	2, 26
<i>Zimmerius gracilipes</i>	Slender-footed Tyrannulet	F	Tf, Fl, Np, F2	T, C, P	V, R	1–5, 8, 10, 12–15, 17, 19, 21, 24, 26, 28, 29, 31, 32, 34, 36, 38, 41, 42
<i>Mionectes oleagineus</i>	Ochre-bellied Flycatcher	F	Tf, Fl, Np, F2	T, C, P	V, R	2, 4, 5, 8, 10, 12, 14, 15, 17, 19, 22, 26, 28–30, 32, 34–36, 38
<i>Sublegatus obscurior</i>	Amazonian Scrub-Flycatcher	U	Fl	T, P	V, A	5, 8, 21, 28
<i>Leptopogon amaurocephalus</i>	Sepia-capped Flycatcher	U	Tf, F2	T, C, P	P, A	4, 10, 11, 15, 17, 21, 25, 28, 31, 33, 40
<i>Myiornis ecaudatus</i>	Short-tailed Pygmy-Tyrant	U	Tf, Fl	T, C, P	V, R	1, 5, 7, 11, 12, 20, 22, 25, 27, 29, 32, 38, 39, 41
<i>Lophotriccus vitiensis</i>	Double-banded Pygmy-Tyrant	C*	Tf, Fl, Np, F2	T, C, P	P, R	1–3, 5, 6, 9, 10, 12, 14–16, 20, 21, 24, 26–28, 30, 31, 33, 34, 37, 39–41
<i>Lophotriccus galeatus</i>	Helmeted Pygmy-Tyrant	U	Np	T, C, P	S, R	14, 15, 26
<i>Hemitriccus zosterops</i>	White-eyed Tody-Tyrant	U	Tf	T, C, P	V, R	14, 15, 18, 20, 22, 29, 31, 32, 37, 40, 42
<i>Hemitriccus iohannis</i>	Johannes's Tody-Tyrant	U	St, L	T, C, P	V, R	7, 9, 11, 13, 15, 16, 20, 28, 33, 38
<i>Hemitriccus minimus</i> (NT)	Zimmer's Tody-Tyrant	F*	Np	T	V, R	6, 14
<i>Poecilatriccus capitatus</i>	Black-and-white Tody-Flycatcher	U	Tf, F2	T, C, P	P, R	4, 9, 10, 11, 15, 18, 22, 25, 28, 37, 40
<i>Poecilatriccus latirostris</i>	Rusty-fronted Tody-Flycatcher	C*	F2, A	T, C, P	P, R	1, 3, 5, 9, 10–12, 14–16, 20, 21, 23, 24, 26–28, 33, 34, 37, 39, 40, 41
<i>Poecilatriccus calopterus</i>	Golden-winged Tody-Flycatcher	U	F2	T, C, P	P, R	7, 9, 13, 15, 23, 27, 33, 37, 39
<i>Todirostrum maculatum</i>	Spotted Tody-Flycatcher	C	Re, L, F2	T, C, P	V, R	1, 3, 5, 7, 8, 10, 11, 14–16, 19, 20, 23–25, 28, 31, 33, 34, 37, 40, 41
<i>Todirostrum chrysocrotaphum</i>	Yellow-browed Tody-Flycatcher	F	Tf, Fl, F2	T, C, P	V, R	4, 7–9, 11, 13–16, 18–21, 25, 27, 30, 32, 33–35, 39, 42
<i>Cnipodectes subbrunneus</i>	Brownish Twistwing	U	Tf, Fl	T, C, P	V, R	8, 11, 15–17, 21, 23, 28, 31, 35, 37, 39, 42
<i>Rhynchocyclus olivaceus</i>	Olivaceous Flatbill	U*	Fl	T	V	1, 4, 6, 7, 11, 15, 16, 18
<i>Tolmomyias traylori</i>	Orange-eyed Flycatcher	U	Fl	T, P	V, R	1, 3, 5, 8, 13, 25
<i>Tolmomyias assimilis</i>	Yellow-margined Flycatcher	F	Tf, Np, Re, F2	T, C, P	V, R	1, 4–8, 10, 12, 15, 16, 19, 21, 24, 26, 28, 30, 32, 34, 36, 38, 41
<i>Tolmomyias poliocephalus</i>	Gray-crowned Flycatcher	F	Tf, Fl, Np	T, C, P	V, R	1, 2, 4, 6, 8, 10, 12, 14, 15, 19, 21, 24–26, 28, 29, 31, 32, 34, 36, 38, 41, 42
<i>Tolmomyias flaviventris</i>	Yellow-breasted Flycatcher	U	Tf, F2	T, C, P	P, R	3, 4, 9–11, 15, 17, 19, 21, 24, 25, 28, 31, 33, 34, 36
<i>Platyrinchus saturatus</i>	Cinnamon-crested Spadebill	U*	Np	T, P	V, A	11, 14, 26, 30, 32
<i>Platyrinchus coronatus</i>	Golden-crowned Spadebill	F	Tf, Fl	T, C, P	V, R	8, 10, 13, 15, 19, 21, 24, 26, 30, 31, 36, 38, 39, 40

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Onychorhynchus coronatus</i>	Royal Flycatcher	U	Tf, Fl	T, C, P	P, R	11, 14, 15, 17, 23, 26, 28, 30, 35, 38, 41
<i>Myiobius barbatus</i>	Sulphur-rumped Flycatcher	U	Tf	T, C, P	V, R	11, 16, 22, 24, 30, 31, 36, 42
<i>Myiobius atricaudus</i>	Black-tailed Flycatcher	U	Fl	T, P	V, A	6, 9, 15, 25, 28
<i>Terentotriccus erythrurus</i>	Ruddy-tailed Flycatcher	F	Tf, Fl, Np, St	T, C, P	P, R	2–4, 6, 8, 9, 11, 12, 14, 15, 19, 22, 25, 26, 28, 29, 31, 32, 35, 36, 38, 41
<i>Neopipo cinnamomea</i>	Cinnamon Manakin-Tyrant	U	Np	T, P	V, R	2, 12, 14, 15, 26, 29
<i>Lathrotriccus euléri</i>	Euler's Flycatcher	U	Fl, F2	T, C, P	V, R	4, 8, 9, 13, 16, 28, 37, 42
<i>Cnemotriccus fuscatus</i>	Fuscous Flycatcher	U	Fl, Re, F2	T, C, P	V, A	1, 3, 5, 17, 27, 33, 34
<i>Cnemotriccus (fuscatus) duidae</i>	"Campina" Fuscous Flycatcher	U	Np	T	V, R	12, 14, 15
<i>Empidonax alonorum (NB)</i>	Alder Flycatcher	F	F2, Re, A	T, C, P	V, A	4, 5, 7, 10, 11, 15–17, 19, 23, 24, 25, 28, 31, 36, 38, 41
<i>Contopus virens (NB)</i>	Eastern Wood-Pewee	F	+	T, C, P	V, R	1, 3–5, 7, 9–12, 14–16, 18, 21, 23–25, 27, 31, 34, 37, 38, 40, 42
<i>Pyrocephalus rubinus (NB)</i>	Vermilion Flycatcher	U	F2, Re, A	T, C, P	V	1, 8, 13, 15, 17, 22, 25, 27, 33, 34, 37
<i>Ochthornis littoralis</i>	Drab Water-Tyrant	C	Re	T, C, P	V, A	1, 3–5, 8, 10–12, 15–18, 23, 24, 25, 27, 33–36, 38, 40
<i>Colonia colonus</i>	Long-tailed Tyrant	U	Tf	T, P	V	24, 28, 30
<i>Legatus leucophaeus</i>	Piratic Flycatcher	F	Tf, Fl, F2	T, C, P	V, R	1, 3, 4, 8–10, 13–15, 18, 20, 21, 25, 28, 30, 33, 34, 41
<i>Myiozetetes similis</i>	Social Flycatcher	C	+	T, C, P	V, R	1, 4, 5, 7, 8, 10–13, 15–17, 19, 20, 23, 25, 27, 28, 31, 33–36, 39–42
<i>Myiozetetes granadensis</i>	Gray-Capped Flycatcher	C	+	T, C, P	V, R	3–5, 7, 11, 13, 15, 16, 20, 22, 23, 25, 28, 33–36, 39, 41, 42
<i>Myiozetetes luteiventris</i>	Dusky-chested Flycatcher	U	Tf, Fl	T, C, P	V, R	4, 8, 12, 11, 18, 20, 23, 25, 31, 36, 39, 41
<i>Pitangus sulphuratus</i>	Great Kiskadee	C	+	T, C, P	V, R	1, 3–5, 8–11, 13–16, 18, 19, 21, 23–25, 27, 28, 33, 34, 36, 39, 41
<i>Pitangus lictor</i>	Lesser Kiskadee	F	Re, St, L	T, C, P	V, R	1, 5, 7, 8, 10, 11, 15, 16, 19, 21, 22, 24, 25, 27, 28, 33, 34, 36, 38, 41, 42
<i>Conopias parvus</i>	Yellow-throated Flycatcher	U	Tf, Np	T, C, P	V, R	2, 12, 14, 18, 21, 23, 29, 32, 38, 40
<i>Conopias trivirgatus</i>	Three-striped Flycatcher	R	Fl, St	T	V	1
<i>Myiodynastes maculatus</i>	Streaked Flycatcher	U	Fl, Re, F2	T, C, P	V, A	9, 11, 15, 18, 19, 25, 28, 34, 37
<i>Megarhynchus pitangua</i>	Boat-billed Flycatcher	C	+	T, C, P	V, R	1, 3, 5, 8, 10, 11, 13–16, 18, 19, 21–24, 25, 27, 28, 33, 34, 36, 41, 42
<i>Tyrannopsis sulphurea</i>	Sulphury Flycatcher	U	Ps, F2	T, C, P	R	1, 5, 7, 9, 12, 15, 16, 19, 26, 41
<i>Empidonomus varius (NB)</i>	Variegated Flycatcher	U	Tf, F2, A	T, C, P	V, R	1, 5, 8, 11, 13, 15, 21, 23, 28, 34, 37
<i>E. aurantioatrocristatus (NB)</i>	Crowned Slaty-Flycatcher	U	St, Re, F2	T, C, P	V	5, 10, 11, 15, 19, 24, 28, 31, 41
<i>Tyrannus albogularis (NB)</i>	White-throated Kingbird	U	Re	T, C, P	V	1, 3, 5, 8, 10, 15, 20, 33, 34

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Tyrannus melancholicus</i>	Tropical Kingbird	C	+	T, C, P	V, R	1, 3–5, 7, 8, 10, 11, 13–16, 18, 19, 21–24, 27, 28, 31, 33, 34, 36, 39, 41, 42
<i>Tyrannus savana</i> (NB)	Fork-tailed Flycatcher	C	+	T, C, P	V	4, 5, 7, 8, 10, 11, 15, 16, 18–20, 22, 24, 25, 27, 33, 34, 36, 37, 41, 42
<i>Tyrannus tyrannus</i> (NB)	Eastern Kingbird	F	+	T, C, P	V	4, 9, 11, 14–16, 18, 22, 23, 24, 28, 33, 34, 38, 40
<i>Rhytipterna simplex</i>	Grayish Mourner	F	Tf, Fi, Np	T, C, P	V, R	1, 2, 4–6, 8, 10, 12, 14, 15, 18, 21, 25, 26, 28–30, 32, 34, 36–38, 41
<i>Sirystes albocinereus</i>	White-rumped Sirystes	U	Tf, Fi	T, P	V, A	7, 10, 15, 31
<i>Myiarchus tuberculifer</i>	Dusky-capped Flycatcher	U	Fi, Np, F2, A	T, C, P	V, R	1, 5, 6, 8, 11, 13, 15, 19, 23, 26, 31, 34, 38
<i>Myiarchus swainsoni</i> (NB)	Swainson's Flycatcher	U	Np, Re, F2	T, C, P	V, R	6, 9, 14, 15, 18, 23, 25, 31, 32, 34, 40
<i>Myiarchus ferox</i>	Short-crested Flycatcher	C	Re, F2	T, C, P	V, R	1, 5, 8, 10, 12, 13, 15, 16, 18, 20, 21, 25, 27, 33, 34, 36, 38, 41, 42
<i>Ramphotrigon ruficauda</i>	Rufous-tailed Flatbill	U	Tf, Fi, Np, F2	T, C, P	V, R	2, 10–12, 14, 15, 18, 19, 26, 31, 32, 36, 38
<i>Attila cinnamomeus</i>	Cinnamon Attila	F	Fi, Re	T, C, P	V, R	3, 5, 6, 8, 10, 11, 15, 18, 20, 22, 25, 27, 33, 34, 38, 40
<i>Attila citriniventris</i>	Citron-bellied Attila	C	Tf, Np	T, C, P	V, R	2, 12, 14, 15, 19, 20, 22, 24, 26, 29, 30, 32, 34, 36, 37, 41
<i>Attila spadiceus</i>	Bright-rumped Attila	C	Tf, Fi, Np	T, C, P	V, R	2, 4, 5, 8, 10, 12, 14, 15, 19, 21, 24–26, 28, 29, 31, 32, 34–36, 38, 41
Cotingidae (9)						
<i>Phoenicircus nigricollis</i>	Black-necked Red-Cotinga	F	Tf, Fi, Np	T, C, P	V, R	7, 12, 14, 15, 23, 26, 28, 31, 32, 35, 37, 42
<i>Querula purpurata</i>	Purple-throated Fruitcrow	C	Tf, Fi, Np	T, C, P	V, R	1–5, 8, 10, 12, 14, 15, 19, 21, 24–26, 28, 31, 32, 34–36, 38, 40, 42
<i>Cephalopterus ornatus</i>	Amazonian Umbrellabird	U	Fi, Np, Re	T, C, P	V, A	1, 6, 8, 9, 13, 15, 16, 22, 25, 33, 34
<i>Cotinga maynana</i>	Plum-throated Cotinga	F	Fi, Re, F2	T, C, P	V	1, 4, 5, 8, 11, 13, 15, 18, 20–22, 24, 25, 28, 34, 36, 38
<i>Cotinga cayana</i>	Spangled Cotinga	U	Tf, Fi	T, C, P	V	1, 5, 7, 8, 12, 15, 16, 20, 21, 25, 28, 33, 34
<i>Lipaugus vociferans</i>	Screaming Piha	C	Tf, Fi, Np, F2	T, C, P	V, R	1, 3, 4, 6–8, 10, 12–15, 17, 19, 21, 22, 24, 26, 27, 29–31, 33, 34, 36, 38, 40–42
<i>Porphyrulaena porphyrolaema</i>	Purple-throated Cotinga	U	Tf, F2	T, C, P	V, A	10, 12, 15, 17, 20, 21, 25, 31, 36, 41
<i>Xipholena punicea</i> (VU)	Pompadour Cotinga	R	Np	T, P	V, R	12, 26
<i>Gymnoderus foetidis</i>	Bare-necked Fruitcrow	U	Fi, Re	T, C, P	V	1, 3, 4, 7, 8, 10, 15, 19, 25, 28, 33, 34, 42
Pipridae (10)						
<i>Neopelma chrysocephalum</i> (VU)	Saffron-crested Tyrant-Manakin	F*	Np	T	S, R	12, 14, 15
<i>Tyrannetes stolzmanni</i>	Dwarf Tyrant-Manakin	C	Tf, Fi, Np	T, C, P	V, R	1, 5, 7, 12, 14, 15, 18, 23, 26, 28–31, 32, 35, 37, 39, 42
<i>Machaeropterus regulus</i>	Striped Manakin	F	Tf, F2	T, C, P	P, R	3, 9, 10, 12, 14, 15, 18, 19, 21, 22, 24, 27, 29, 32, 34, 37, 41

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Lepidothrix coronata</i>	Blue-crowned Manakin	C	Tf, Np, F2	T, C, P	P, R	8, 10, 12–15, 17, 18, 20, 21, 24–26, 28, 30–32, 34, 36, 37, 42
<i>Manacus manacus</i>	White-bearded Manakin	F*	+	T, C, P	P, R	2, 3, 5, 7, 9, 11, 12, 14, 15, 17, 22, 24, 25, 27, 30, 34, 35, 39, 41
<i>Chiroxiphia pareola</i>	Blue-backed Manakin	U	Tf	T, P	P, R	15, 22, 24, 30, 32
<i>Heterocercus aurantiivertex</i>	Orange-crowned Manakin	C*	Fl, Np, St, Ps	T, C, P	S, R	2, 6, 12, 14, 15, 18, 25, 35, 37
<i>Dixiphia pipra</i>	White-crowned Manakin	F	Tf, Np	T, C, P	P, R	2, 6, 10, 12, 14, 15, 19, 20, 22, 26, 29, 30, 32, 34, 37, 39, 42
<i>Pipra filicauda</i>	Wire-tailed Manakin	F	Fl, Np, Ps	T, C, P	V, R	1–3, 5, 8, 9, 12–14, 16, 18, 19, 21, 23, 25, 26, 28, 33, 34, 37, 39, 42
<i>Pipra erythrocephala</i>	Golden-headed Manakin	F	Tf, Np, F2	T, C, P	P, R	2, 4, 10, 12–15, 18, 20, 21, 24–26, 28, 30–32, 36, 37, 42
Tityridae (12)						
<i>Tityra inquisitor</i>	Black-crowned Tityra	U	Fl, F2	T, C, P	V	1, 8, 9, 13, 15, 16, 26, 28, 37
<i>Tityra cayana</i>	Black-tailed Tityra	F	Re, F2, A	T, C, P	V, R	1, 3, 5, 7, 8, 10–12, 15, 16, 18, 21, 22, 24, 25, 27, 28, 34, 36, 38, 41, 42
<i>Tityra semifasciata</i>	Masked Tityra	U	Re, F2, A	T, C, P	V	3, 5–7, 10–12, 15, 20, 24, 27, 28, 34, 39
<i>Schiffornis major</i>	Varzea Schiffornis	C	Fl, St, Re	T, C, P	V, R	1–3, 5–7, 10, 13, 15, 19, 22, 23, 25, 27, 31, 34, 37, 40, 41
<i>Schiffornis turdina</i>	Brown-winged Schiffornis	F	Tf, Np	T, C, P	P, R	2, 6, 10, 12, 14, 15, 19, 20, 22, 24, 26, 31, 35, 39, 40
<i>Laniocera hypopyrra</i>	Cinereous Mourner	U	Tf, Fl	T, C, P	V, R	8, 12, 13, 15, 17, 23, 30, 35, 40
<i>Iodopleura isabellae</i>	White-browed Purpletuft	U	Tf, Fl	T, C, P	V, R	8, 12, 14, 15, 19, 21, 28, 31, 34, 40
<i>Pachyrhamphus rufus</i>	Cinereous Becard	R	Re, F2	T, C	V, A	3, 20, 40
<i>Pachyrhamphus castaneus</i>	Chestnut-crowned Becard	U	St, Re	T, C, P	V, A	4, 7, 11, 13, 15, 16, 19, 24, 25, 33, 34
<i>Pachyrhamphus polychopterus</i>	White-winged Becard	F	Re, F2	T, C, P	V, R	1, 3, 4, 8, 10, 11, 13–15, 16, 18, 20, 22, 24–26, 31, 34, 35, 37, 42
<i>Pachyrhamphus marginatus</i>	Black-capped Becard	U	Fl, Np, Re	T, C, P	V, R	1, 4, 5, 8, 10, 11, 15–17, 19, 25, 28, 34, 38
<i>Pachyrhamphus minor</i>	Pink-throated Becard	U	Tf, Fl	T, C, P	V, R	2, 10, 18, 20, 21, 26, 28, 31, 38, 40
Incertae Sedis (1)						
<i>Piprites chloris</i>	Wing-barred Piprites	U	Tf, Fl	T, C, P	V, R	2, 5, 8, 12, 15, 20, 24, 26, 32, 34, 38, 39
Vireonidae (7)						
<i>Cyclarhis gujanensis</i>	Rufous-browed Peppershrike	U	Fl	T	V, R	1, 3, 5
<i>Vireolanus leucotis</i>	Slaty-capped Shrike-Vireo	U	Tf	T, C, P	V	11, 14, 15, 20, 29, 30, 36
<i>Vireo olivaceus</i>	Red-eyed Vireo	F	Tf, Fl, F2	T, C, P	V, R	1–4, 6, 8, 10, 15, 16, 18, 25, 34–36, 42
<i>Vireo flavoviridis (NB)</i>	Yellow-green Vireo	R	Tf, F2	T	V, A	15, 18, 24

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Hylophilus thoracicus</i>	Lemon-chested Greenlet	U	Tf, Fl	T, C, P	V, R	5, 7, 8, 15, 16, 20, 21, 25, 28, 31, 34, 38, 39
<i>Pachysylvia hypoxantha</i>	Dusky-capped Greenlet	C	Tf, Fl, Np	T, C, P	V, R	1, 3–6, 8, 10, 12, 14–16, 19, 21, 24–26, 29, 31, 32, 34–36, 38, 40–42
<i>Tunchiornis ochraceiceps</i>	Tawny-crowned Greenlet	U	Tf	T, P	V, R	14, 15, 17, 21, 26, 29
Corvidae (1)						
<i>Cyanocorax violaceus</i>	Violaceous Jay	C	+	T, C, P	V, R	3, 4, 8, 9, 11, 12, 15, 17–19, 21, 22, 25, 27, 31, 34, 36, 37, 39, 40
Hirundinidae (10)						
<i>Pygochelidon cyanoleuca</i> (NB)	Blue-and-white Swallow	U	A	T, C, P	V	1, 4, 5, 11, 12, 14–16, 19, 25, 33, 34
<i>Atticora fasciata</i>	White-banded Swallow	C	L, R	T, C, P	V	1, 3–6, 9, 11–13, 15, 16, 20, 21, 24, 25–28, 33, 34, 36, 37, 41
<i>Atticora tibialis</i>	White-thighed Swallow	F	St, R, A	T, C, P	V	5, 9–11, 15, 16, 19, 20, 23, 24, 27, 28, 33–36, 40, 41
<i>Steigodopteryx ruficollis</i>	Southern Rough-winged Swallow	C	R, A	T, C, P	V	1, 3–5, 8, 10–12, 15, 18–21, 24, 25, 27, 33, 34, 36–39, 41
<i>Progne tapera</i>	Brown-chested Martin	F	R	T, C, P	V	1, 3–5, 8, 10, 11, 13, 15, 20, 21, 24, 25, 27, 28, 33, 34–36, 37, 41, 42
<i>Progne subis</i> (NB)	Purple Martin	U	Re, A	T, P	V	1, 3, 17, 25
<i>Progne chalybea</i>	Gray-breasted Martin	C	R, A	T, C, P	V	1, 3–5, 8, 10–12, 15, 18–21, 24, 25, 27, 33, 34, 36–39, 42
<i>Tachycineta albiventer</i>	White-winged Swallow	C	L, R	T, C, P	V	1, 3–5, 9, 11–13, 15, 16, 20, 21, 24, 25–28, 33, 34, 36, 37, 42
<i>Riparia riparia</i> (NB)	Bank Swallow	U	R, A	T, C, P	V	5, 8, 10, 12, 15, 18, 22, 23, 25, 28, 33, 40
<i>Hirundo rustica</i> (NB)	Barn Swallow	C	L, R, A	T, C, P	V	1, 3–5, 11, 12, 15, 16, 18, 20, 21, 24, 25, 27, 28, 34–37, 41
Troglodytidae (8)						
<i>Microcerculus bambia</i>	Wing-banded Wren	U*	Tf	T, P	P, R	24, 28, 30
<i>Microcerculus marginatus</i>	Scaly-breasted Wren	C	Tf	T, C, P	V, R	9, 10, 12, 14, 15, 17–19, 21, 24, 26, 29, 31, 32, 34, 35, 37, 39, 41, 42
<i>Troglodytes aedon</i>	House Wren	C	F2, A	T, C, P	V, R	3–5, 9–11, 13, 15, 16, 18, 19, 24, 25, 27, 34, 37, 38, 40, 41
<i>Campylorhynchus turdinus</i>	Thrush-like Wren	F	Fl, Re, F2	T, C, P	V, R	1, 4, 5, 9, 11–13, 15, 18, 20, 22, 24, 25, 27, 34, 36, 38, 41
<i>Pheugopedius coraya</i>	Coraya Wren	C	+	T, C, P	V, R	1–5, 8, 10–12, 14, 15, 17–20, 23, 25, 26, 28, 30, 31, 33–36, 38, 40–42
<i>Cantorchilus leucotis</i>	Buff-breasted Wren	F	Fl, St, Re, F2	T, C, P	V, R	1, 2, 8–10, 12, 15, 17, 21–23, 25, 27, 28, 31, 33–35, 38, 42
<i>Henicorhina leucosticta</i>	White-breasted Wood-Wren	F*	Tf, F2	T, P	P, R	15, 17, 19, 21, 23, 24, 29–31
<i>Cyphorhinus arada</i>	Musician Wren	F*	Tf	T, C, P	V, R	12, 14–16, 18, 21, 23, 29, 31, 32, 37, 40, 42
Polioptilidae (3)						
<i>Microbates cinereiventris</i>	Tawny-faced Gnatwren	U*	Tf	T, P	V, A	15, 21, 25, 28

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Ramphocaelus melanurus</i>	Long-billed Gnatwren	U	Tf	T, C, P	V, R	12, 15, 16, 20, 21, 28, 30, 32, 37
<i>Polioptila plumbea</i>	Tropical Gnatcatcher	F*	Np, L, F2	T, C, P	V, R	6, 8, 11, 13, 14, 15, 19, 28, 36, 39
Donacobiidae (1)						
<i>Donacobius atricapilla</i>	Black-capped Donacobius	F*	Re, L	T, C	V, R	1, 4, 15, 34, 36, 38
Turdidae (5)						
<i>Catharus ustulatus</i> (NB)	Swainson's Thrush	U	+	T, C, P	V, R	7, 8, 10, 12, 15, 16, 25, 31, 33, 36, 41
<i>Turdus hauxwelli/sanchezorum</i>	Hauxwell's/Varzea Thrush	U	Tf	T, C, P	V, R	10, 12, 15, 17, 20, 22, 24, 26, 30, 37, 39
<i>Turdus lawrencii</i>	Lawrence's Thrush	F	Tf, Fl	T, C, P	V, R	4, 5, 8, 10, 14–16, 19, 20, 21, 23, 25, 28, 30, 32, 34, 35, 37, 38, 42
<i>Turdus ignobilis</i>	Black-billed Thrush	C	Re, F2, A	T, C, P	P, R	3, 5, 8–11, 13–15, 18, 20, 22, 24, 25, 27, 33, 34, 37, 39, 41, 42
<i>Turdus albicollis</i>	White-necked Thrush	U	Tf, Fl, F2	T, C, P	V, R	8, 15, 19, 21, 24, 27, 32, 33, 36, 37, 42
Thraupidae (39)						
<i>Paroaria gularis</i>	Red-capped Cardinal	C	Re, L	T, C, P	P, A	1, 3–5, 7, 9, 10, 11, 13, 15, 16, 18, 20, 21, 24–26, 28, 34–37, 40, 42
<i>Cissopis leverianus</i>	Magpie Tanager	C	Re, F2, A	T, C, P	P, R	1, 3–5, 8–11, 13–16, 18, 20, 21, 24, 27, 33, 34, 36, 37, 39, 41
<i>Thlypopsis sordida</i>	Orange-headed Tanager	U	Re, A	T, C, P	V, A	1–3–5, 9, 11, 15, 18, 21, 22, 25, 27, 33, 34, 38
<i>Eucometis penicillata</i>	Gray-headed Tanager	U	Fl, St, Ps	T, C, P	P, A	1, 3–5, 7, 10, 12, 15, 17, 19, 20, 22, 25, 27, 33, 35, 41
<i>Tachyphonus cristatus</i>	Flame-crested Tanager	U	Tf	T, C, P	P, A	14, 15, 19–21, 26, 29, 31, 36, 40, 42
<i>Tachyphonus surinamus</i>	Fulvous-crested Tanager	F	Tf, Fl	T, C, P	V, A	8, 10, 12, 14, 15, 19, 21, 23, 24, 26, 29, 30, 31, 34, 35, 38, 42
<i>Tachyphonus luctuosus</i>	White-shouldered Tanager	U	Tf	T, C, P	V	14, 15, 21, 22, 28, 31, 32, 36, 40
<i>Lanio fulvus</i>	Fulvous Shrike-Tanager	U	Tf	T, P	V	17, 20, 29, 31
<i>Ramphocelus nigrogularis</i>	Masked Crimson Tanager	C*	Np, St, Re, L	T, C, P	P, R	3–7, 9, 10, 11, 13–15, 18, 20, 22, 24–27, 31, 33, 34, 37, 38, 40–42
<i>Ramphocelus carbo</i>	Silver-beaked Tanager	C	+	T, C, P	V, R	1, 3–5, 7, 8–12, 14, 15, 17–20, 22, 24–28, 31, 33–36, 38, 40–42
<i>Thraupis episcopus</i>	Blue-gray Tanager	F	+	T, C, P	V, R	1, 3–5, 7, 9–12, 14–16, 18, 20, 21, 23–25, 27, 33, 34, 37, 38, 40–42
<i>Thraupis palmarum</i>	Palm Tanager	C	+	T, C, P	V, A	1–12, 14, 15, 17–20, 23–25, 27, 28, 30, 31, 32, 34–36, 38, 39, 40, 42
<i>Tangara nigrocincta</i>	Masked Tanager	U	Tf, Fl	T, C, P	V, R	4, 8, 12, 15, 19, 22, 23, 28, 29, 32, 36, 37
<i>Tangara xanthogastra</i>	Yellow-bellied Tanager	U	Tf, F2	T, C, P	V, A	3, 4, 6, 15, 17–19, 21, 24, 26, 30, 34, 36, 41
<i>Tangara mexicana</i>	Turquoise Tanager	F	Tf, Fl, F2	T, C, P	V, R	3–5, 8, 10, 12, 14, 15, 18, 21, 24, 26, 28–30, 32, 35, 38, 42
<i>Tangara chilensis</i>	Paradise Tanager	C	Tf, Fl, Np	T, C, P	V, R	1–6, 8, 10, 12, 14–16, 18, 19, 21, 24–26, 28–32, 34–36, 38–41

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Tangara velia</i>	Opal-rumped Tanager	F	Tf	T, C, P	V	10, 12, 14, 15, 18, 19, 21, 24, 26, 29, 31, 32, 35, 37, 39, 41, 42
<i>Tangara callophrys</i>	Opal-crowned Tanager	U	Tf	T, C, P	V	10, 12, 15, 16, 22, 26, 27, 30, 32, 36, 39, 42
<i>Tangara gyrola</i>	Bay-headed Tanager	U	Tf, Fl	T, C, P	V	4, 8, 12, 15, 22, 28–30, 32, 35, 36, 39
<i>Tangara schrankii</i>	Green-and-Gold Tanager	C	Tf, Fl, Np, F2	T, C, P	P, R	2, 6, 8, 10, 12, 14–16, 19, 21, 22, 24, 26, 28, 29, 31–34, 36, 38, 39, 41, 42
<i>Tersina viridis</i>	Swallow Tanager	U	Tf, F2	T, C, P	P, A	3–5, 9–11, 15, 18, 24, 28, 33, 34, 38
<i>Dacnis albiventris</i>	White-bellied Dacnis	U	Tf, Np	T, P	V, A	14, 15, 29, 30
<i>Dacnis lineata</i>	Black-faced Dacnis	F	Tf, Fl	T, C, P	P, A	5, 8–10, 12, 14, 18, 19, 22, 24, 26, 29, 31, 32, 35, 37, 38, 40
<i>Dacnis flaviventer</i>	Yellow-bellied Dacnis	C	Fl, Np, F2	T, C, P	V, A	2, 5, 6, 9, 11, 12, 15, 16, 18, 20, 23, 25, 26, 28, 32, 34, 37, 38
<i>Dacnis cayana</i>	Blue Dacnis	U	Tf, Fl, Np	T, C, P	V	2, 6, 10, 12, 14, 15, 24–26, 29, 31, 32, 38, 39
<i>Cyanerpes nitidus</i>	Short-billed Honeycreeper	U	Tf, F2	T, C, P	P, R	4, 10, 14, 15, 18, 21, 22, 26, 28, 30, 32, 37
<i>Cyanerpes caeruleus</i>	Purple Honeycreeper	F	Tf, Fl, Np, F2	T, C, P	P, R	2, 3, 8, 10, 12, 15, 17, 19, 23, 24, 26, 28, 29, 31, 32, 34–36, 38, 41, 42
<i>Cyanerpes cyaneus</i>	Red-legged Honeycreeper	U	Tf, Np	T, C, P	V, R	10, 12, 14, 18, 20, 26, 29, 31, 35, 37, 41
<i>Chlorophanes spiza</i>	Green Honeycreeper	F	Tf, Fl	T, C, P	V, P	8, 10, 12, 14, 15, 19, 22, 24, 26, 28, 29, 31, 32, 34, 37, 38, 40
<i>Hemithraupis flavicollis</i>	Yellow-backed Tanager	U	Tf	T, P	V	12, 14, 15, 21, 37
<i>Volatinia jacarina</i>	Blue-black Grassquit	C	A	T, C, P	V, R	3–5, 9, 11–13, 15, 18, 19, 23, 24, 27, 31, 34, 37, 41
<i>Sporophila schistacea</i>	Slate-colored Seedeater	F*	Np, F2	T, C, P	S, R	15, 16, 27, 37
<i>Sporophila murallae</i>	Caquetá Seedeater	U	St	T, C, P	V, A	1, 4, 7, 12, 15, 18, 25, 33, 34
<i>Sporophila bouvronides</i> (NB)	Lesson's Seedeater	U	Re, A	T, C, P	V, A	1, 3, 8, 15, 18, 24, 25, 33, 34, 38
<i>Sporophila lineola</i> (NB)	Lined Seedeater	U	Re, A	T, C, P	V, R	1, 4, 8, 9, 15, 16, 19, 25, 34
<i>Sporophila luctuosa</i> (NB)	Black-and-white Seedeater	U	A	T, C, P	V, A	1, 3, 5, 8, 9, 15, 16, 24, 25, 33, 34
<i>Sporophila castaneiventris</i>	Chestnut-bellied Seedeater	C	A	T, C, P	V, R	1, 3–5, 8, 9, 11, 13–15, 17–19, 23–25, 27, 31, 34, 37, 38, 40, 41, 42
<i>Sporophila angolensis</i>	Chestnut-bellied Seed-Finch	C	Re, F2, A	T, C, P	V, A	1, 4, 5, 7, 9–11, 13, 15, 19, 23–25, 27, 34, 36, 38, 41
<i>Sporophila crassirostris</i>	Large-billed Seed-Finch	U	A	T, C, P	V, A	3, 5, 9, 15, 16, 19, 25, 33, 34, 36
Incertae Sedis (3)						
<i>Saltator grossus</i>	Slate-colored Grosbeak	F	Tf	T, C, P	P, R	10, 12, 14, 15, 18, 20, 21, 23, 24, 26, 27, 29–31, 35, 37, 41
<i>Saltator maximus</i>	Buff-throated Saltator	F	+	T, C, P	V, R	1–8, 10, 12, 14–16, 20, 21, 23, 24, 26, 27, 33, 34, 38, 40–42
<i>Saltator coerulescens</i>	Grayish Saltator	C	Re, F2, A	T, C, P	V, R	1, 3, 5, 8–11, 13, 15, 16, 18, 20, 21, 24, 26, 27, 33, 34, 36, 37, 39, 41, 42

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
Emberizidae (1)						
<i>Ammodramus aurifrons</i>	Yellow-browed Sparrow	C	A, Re	T, C, P	V, R	1, 3, 5, 7–10, 12, 13–16, 18, 19, 21, 23–25, 27, 28, 31, 34, 37, 38, 40–42
Cardinalidae (4)						
<i>Piranga rubra</i> (NB)	Summer Tanager	U	Re, F2	T, C, P	V, A	5, 9, 12, 14, 20, 28, 39, 41
<i>Piranga olivacea</i> (NB)	Scarlet Tanager	U	Tf, F2	T, P	V	11, 13, 15, 17, 23, 24, 27, 30, 31
<i>Habia rubica</i>	Red-crowned Ant-Tanager	U	Tf	T, C, P	V, R	9, 11, 14–16, 22, 26, 31, 32, 35, 39, 41
<i>Cyanocompsa cyanooides</i>	Blue-Black Grosbeak	F	Tf, Ps, F2	T, C, P	P, R	3, 7, 9, 10, 15, 16, 19, 23, 24, 25, 27, 31, 34, 38, 41, 42
Parulidae (2)						
<i>Mniotilta varia</i>	Black-and-white Warbler	X	Np	T	S	15
<i>Phaeothlypis fulvicauda</i>	Buff-rumped Warbler	F	St, Re	T, C, P	V, R	1, 4, 7, 10, 13, 15, 16, 19, 24, 25, 28, 31, 33, 37, 39
Icteridae (17)						
<i>Psarocolius angustifrons</i>	Russet-backed Oropendola	C	+	T, C, P	V, R	1–5, 7, 8–12, 14, 15, 17–20, 24–26, 28, 30, 31, 32, 34–36, 38–42
<i>Psarocolius viridis</i>	Green Oropendola	U	Tf, Fl, Ps	T, C, P	V, R	5, 7, 12, 13, 15, 17, 21, 23, 25, 27, 28, 32, 38, 41
<i>Psarocolius decumanus</i>	Crested Oropendola	C	Tf, Fl	T, C, P	V, R	8, 10, 12, 13, 15, 16, 18, 19, 21, 24, 25, 27–29, 31, 33, 34, 35, 38, 40
<i>Psarocolius bifasciatus</i>	Olive Oropendola	U	Tf, Fl	T, P	V, R	3, 5, 7, 9, 12, 14, 17, 22, 24, 26, 29, 31
<i>Cacicus oseryi</i>	Casqued Cacique	U	Tf, St	T, P	V, R	11, 14–16, 19, 21, 24, 26, 29, 32
<i>Cacicus latirostris</i>	Band-tailed Cacique	U	Tf, Fl	T, C, P	V, R	7–9, 13, 14, 15, 20, 28, 30, 35, 38
<i>Cacicus solitarius</i>	Solitary Black Cacique	F	Fl, F2	T, C, P	V, R	1, 4, 5, 8, 9–12, 15–17, 21, 23–25, 27, 33, 34, 38, 40
<i>Cacicus cela</i>	Yellow-rumped Cacique	C	+	T, C, P	V, R	1–6, 8–11, 13–16, 18, 19–21, 23, 24, 25, 27, 28, 29, 33, 34, 36, 41, 42
<i>Cacicus haemorrhous</i>	Red-rumped Cacique	U	St, F2	T, C, P	V, R	4, 9, 11, 15, 16, 21, 27, 34, 38
<i>Icterus croconatus</i>	Orange-backed Troupial	U	F2	T, C	V, R	4, 5, 9, 12, 18, 33, 34, 38, 40
<i>Icterus chryscephalus</i>	Moriche Oriole	U	Tf, Ps, F2	T, C, P	P, R	7, 12, 15, 16, 21, 26, 31, 37, 41
<i>Gymnomystax mexicanus</i>	Oriole Blackbird	U	Re	T, C, P	V, R	1, 3, 5, 8, 11, 17, 19, 25, 33
<i>Lamprospar tanagrinus</i>	Velvet-fronted Grackle	C	Fl, St	T, C, P	V, R	1, 3, 8, 10, 11, 13, 15–17, 19, 20, 22, 25, 27, 33–36
<i>Chrysomus icterocephalus</i>	Yellow-hooded Blackbird	U	Re	T, C, P	V, R	1, 3, 25, 34
<i>Molothrus oryzivorus</i>	Giant Cowbird	F	Re, L, A	T, C, P	V, R	1, 3, 4, 8, 9, 11, 13, 15, 16, 18, 20, 24, 25, 28, 33, 34, 36, 37, 42
<i>Molothrus bonariensis</i>	Shiny Cowbird	F*	Re, L, A	T, C, P	V, R	1, 4, 5, 8, 10–13, 15, 16, 19, 22–25, 28, 33–35, 37, 39, 40

Scientific name	English name	Abun.	Habitat	Catchment	Evidence	Site numbers
<i>Dolichonyx oryzivorus</i> (NB)	Bobolink	U	A	T, C, P	V, A	4, 11, 15, 16, 25, 33, 34
Fringillidae (6)						
<i>Euphonia chlorotica</i>	Purple-throated Euphonia	F*	Re, F2	T	V, A	1, 3
<i>Euphonia lamirostris</i>	Thick-billed Euphonia	F	Fl, Re, F2	T, C, P	V, R	3, 4, 5, 9–12, 15, 17, 20, 22, 24, 25, 28, 33, 34, 36, 38, 39, 41
<i>Euphonia chrysopasta</i>	Golden-bellied Euphonia	F*	St, Re, F2	T, C, P	V, R	5, 9, 10, 11, 13, 15, 16, 20, 25, 28, 31, 33–35, 37, 39, 42
<i>Euphonia minuta</i>	White-vented Euphonia	U	Tf, Np, F2	T, P	V, R	2, 6, 10, 11, 13–15, 17, 20, 22, 25, 28, 31, 32
<i>Euphonia xanthogaster</i>	Orange-bellied Euphonia	F	Tf, Fl	T, C, P	V, R	4, 8, 10, 12, 14, 15, 18, 22, 26, 28, 29, 32, 34, 37, 38, 40, 42
<i>Euphonia rufiventris</i>	Rufous-bellied Euphonia	C	Tf, Fl, Np	T, C, P	V, R	2, 5, 8, 10, 12, 14–16, 19, 21, 24–26, 28, 29, 31, 32, 34–36, 38, 40–42